



**NEED
GLASS?**
Let Us Quote

FREE FIXINGS

TESTED TO BS6399 –1:1996

**SUPERIOR CORROSION
RESISTANCE WITH G316's'**

Innovative Handrail Solutions





THE SIGN OF QUALITY

Fittings

page 11



Tubes & Bars

page 35



Mirror Polished

page 37



Glass Clamps

page 41



Glass Connectors & Panel Holders

page 51



Wire-tec

page 55



Timber-tec

page 59



Glass-tec

page 63



Accessories

page 79



INFORMATION CONTENTS

About Us & Philosophy	page 5
Superior Corrosion Resistance With G316's'	page 7
The Fastec Handrail System & Quality	page 8
Customer Care & Delivery	page 9
Enquiry Sheets	page 83

Safety Test Results	page 86
Care and Maintenance	page 90
Index	page 92







about us

Fastec Handrail Systems specialises in the supply and delivery of off-the-shelf stainless steel modular handrail fittings.

We have designed and manufactured our Fastec modular handrail fittings to fulfil all your requirements.

Fastec Handrail Systems forms part of the Barrett Steel Ltd group. We operate from a purpose-designed 3100ft² warehouse and sales facility and hold extensive stocks within the UK, ensuring rapid next-day turnaround to service and meet all your requirements.

Our friendly sales advisors are here to help, offering sales assistance and technical support to ensure you receive the best levels of service and aftercare.

Fastec has established a reputation for outstanding customer service, total reliability, fast delivery and above all, premium quality products.

All our products are available off the shelf, ready for next-day delivery wherever you are in the UK. We will help you stay within your project's budget without compromising on quality, service or the aesthetic appearance of your completed installation.

And for your complete peace of mind, our products have been independently tested for safety.

philosophy

Creativity. Innovation. Technical Mastery

These are Fastec Handrail Systems watchwords. We are a progressive business, working in long-term partnerships with our customers to realise your project's full aesthetic and functional potential.

You can be sure we understand your business and the environment in which you operate. Our customers choose us because they know they can rely on our innovative approach and complete commitment to the success of a project.

We'll work closely with you to ensure your budgets and timescales are met sharing our judgement, expertise and problem solving skills to guarantee the best outcome for your project and your business.

We focus on your requirements because the end result is as important to us as it is to you. That's why we add value every step of the way whilst keeping you on schedule and within budget. We're more than happy to have a no-obligation discussion with you about your current and future plans.

Call us today – we are waiting to hear from you.



achieving a **superior** corrosion resistance with **G316's'**

Although stainless steel has an inherent corrosion resistance it cannot be called 'stain free'. In certain conditions it will stain and discolour.

To offer our customers a superior product and greater value for money, all G316 Fastec handrail fittings are manufactured using increased levels of 'Chromium', 'Molybdenum' & 'Nickel' which are above the maximum percentage stated for G316.

We have called this superior grade G316's' ('s' means superior). This higher grade offers substantially more corrosion resistance than standard G316, providing greater peace of mind, lower maintenance and less cleaning.



proven superiority

Sheffield Testing Laboratories Ltd have carried out stringent tests to compare the performance of G316 and G316's' under rigorous salt spray testing. The G316's' fitting outperformed the standard grade G316 fitting, showing no sign of staining over the same test period.

In addition to its unrivalled aesthetic appeal, Fastec G316's' products offer unmatched durability, long life and low maintenance, providing a robust, extra corrosion-resistant solution for a wide range of applications. Your installation will maintain its 'as new' appearance with minimal attention.

Our G316's' fittings offer superior corrosion resistance.





the **fastec** handrail system

Stainless steel is the architect's material of choice for a wide range of high-profile developments, from luxury residential apartments to shopping malls, nightclubs, shops, bars and restaurants.

Functionally practical and aesthetically pleasing, stainless steel handrailing, coupled with complementary glass and cable systems, is a hallmark of today's contemporary and minimalist designs. With its emphasis on simplicity, elegance and – crucially - low-maintenance, the Fastec range can accommodate all your requirements.

The benefits of the Fastec Handrail System are its versatility, modular nature and comprehensive range. In addition the whole system is designed with ease of manufacture, assembly and installation in mind.

Fastec lives up to its name: it can be fitted quickly and cleanly and above all no reworking is necessary.

quality

We aim to provide the best quality products within the market place. To ensure this, all the fittings within the Fastec range are manufactured and inspected to meet your high standards.

Fastec Handrail Systems has gained BS EN ISO9001: 2008 accreditation ensuring you benefit from exceptional product quality and service levels.

This accreditation guarantees that we conform to stringent quality control procedures. Ensuring we get it right first time, every time – so you will too.



RS24788

customer care

Our focus is your business.

Fastec is a customer-focused company. We take a meticulous approach to serving our customers, from initial enquiry through to delivery and after-sales services.

Providing the products and services our customers require is the key to our success. That's why we are proactive in anticipating the evolving needs of our customers.

Our highly experienced and knowledgeable technical experts will quickly understand the nature of your project and your precise requirements.

We are happy to deal with all your questions and enquiries and our experts will be able to guide you through our extensive range of products and the ordering process – whether you're working on a small domestic project or a substantial commercial or architectural development.


Above all, it is the level of personal service we provide, backed by our experience, knowledge and expertise, that ensures we always meet and frequently exceed our customers' expectations.

delivery

Once your order is placed, it will be promptly prepared for dispatch with the greatest care and attention to detail as part of our extensive quality control procedures.

We use only proven and reputable carriers so you can be confident that your order will arrive on time and in perfect condition ready for installation.

Orders received before 2.45pm will qualify for next-day delivery, and we can also arrange, on request, deliveries for specific time-slots such as before 10.30am, before noon, and Saturday morning.








FITTINGS

Stem Connectors




► 304 Model 0100

CODE	D	L	BOLT
34.0100.422.S	42.4 x 2.0	80	FF-12
34.0100.426.S	42.4 x 2.6	80	FF-12
34.0100.482.S	48.3 x 2.0	80	FF-12
34.0100.486.S	48.3 x 2.6	80	FF-12

► 316's' Model 0100

CODE	D	L	BOLT
36.0100.422.S	42.4 x 2.0	80	FF-13
36.0100.426.S	42.4 x 2.6	80	FF-13
36.0100.482.S	48.3 x 2.0	80	FF-13
36.0100.486.S	48.3 x 2.6	80	FF-13



► 304 Model 0110

CODE	D	L	Ø	BOLT
34.0110.422.S	42.4 x 2.0	80	42.4	FF-10
34.0110.426.S	42.4 x 2.6	80	42.4	FF-10
34.0110.482.S	48.3 x 2.0	80	48.3	FF-10
34.0110.486.S	48.3 x 2.6	80	48.3	FF-10

► 304 Model 0111


CODE	D	L	Ø	BOLT
34.0111.422.S	42.4 x 2.0	80	48.3	FF-10
34.0111.426.S	42.4 x 2.6	80	48.3	FF-10
34.0111.486.S	48.3 x 2.6	80	42.4	FF-10

► 316's' Model 0110

CODE	D	L	Ø	BOLT
36.0110.422.S	42.4 x 2.0	80	42.4	FF-11
36.0110.426.S	42.4 x 2.6	80	42.4	FF-11
36.0110.482.S	48.3 x 2.0	80	48.3	FF-11
36.0110.486.S	48.3 x 2.6	80	48.3	FF-11

► 316's' Model 0111

CODE	D	L	Ø	BOLT
36.0111.422.S	42.4 x 2.0	80	48.3	FF-11
36.0111.426.S	42.4 x 2.6	80	48.3	FF-11
36.0111.486.S	48.3 x 2.6	80	42.4	FF-11





► 304 Model 0105

CODE	D	L	BOLT
34.0105.422.S	42.4 x 2.0	80	FF-12
34.0105.426.S	42.4 x 2.6	80	FF-12
34.0105.482.S	48.3 x 2.0	80	FF-12
34.0105.486.S	48.3 x 2.6	80	FF-12

► 316's' Model 0105

CODE	D	L	BOLT
36.0105.422.S	42.4 x 2.0	80	FF-13
36.0105.426.S	42.4 x 2.6	80	FF-13
36.0105.482.S	48.3 x 2.0	80	FF-13
36.0105.486.S	48.3 x 2.6	80	FF-13



► 304 Model 0115

CODE	D	L	Ø	BOLT
34.0115.422.S	42.4 x 2.0	80	42.4	FF-10
34.0115.426.S	42.4 x 2.6	80	42.4	FF-10
34.0115.482.S	48.3 x 2.0	80	48.3	FF-10
34.0115.486.S	48.3 x 2.6	80	48.3	FF-10

► 304 Model 0116

CODE	D	L	Ø	BOLT
34.0116.422.S	42.4 x 2.0	80	48.3	FF-10
34.0116.426.S	42.4 x 2.6	80	48.3	FF-10
34.0116.486.S	48.3 x 2.6	80	42.4	FF-10


► 316's' Model 0115

CODE	D	L	Ø	BOLT
36.0115.422.S	42.4 x 2.0	80	42.4	FF-11
36.0115.426.S	42.4 x 2.6	80	42.4	FF-11
36.0115.482.S	48.3 x 2.0	80	48.3	FF-11
36.0115.486.S	48.3 x 2.6	80	48.3	FF-11

► 316's' Model 0116

CODE	D	L	Ø	BOLT
36.0116.422.S	42.4 x 2.0	80	48.3	FF-11
36.0116.426.S	42.4 x 2.6	80	48.3	FF-11
36.0116.486.S	48.3 x 2.6	80	42.4	FF-11

Stem Connectors



► 304 Model 0120

CODE	D	L	Ø	BOLT
34.0120.422.S	42.4 x 2.0	80	42.4	FF-10
34.0120.426.S	42.4 x 2.6	80	42.4	FF-10
34.0120.482.S	48.3 x 2.0	80	48.3	FF-10
34.0120.486.S	48.3 x 2.6	80	48.3	FF-10

► 304 Model 0121


CODE	D	L	Ø	BOLT
34.0121.422.S	42.4 x 2.0	80	48.3	FF-10
34.0121.426.S	42.4 x 2.6	80	48.3	FF-10
34.0121.486.S	48.3 x 2.6	80	42.4	FF-10

► 316's' Model 0120

CODE	D	L	Ø	BOLT
36.0120.422.S	42.4 x 2.0	80	42.4	FF-11
36.0120.426.S	42.4 x 2.6	80	42.4	FF-11
36.0120.482.S	48.3 x 2.0	80	48.3	FF-11
36.0120.486.S	48.3 x 2.6	80	48.3	FF-11

► 316's' Model 0121

CODE	D	L	Ø	BOLT
36.0121.422.S	42.4 x 2.0	80	48.3	FF-11
36.0121.426.S	42.4 x 2.6	80	48.3	FF-11
36.0121.486.S	48.3 x 2.6	80	42.4	FF-11



► 304 Model 0130

CODE	D	L	Ø	BOLT
34.0130.422.S	42.4 x 2.0	80	42.4	FF-10
34.0130.426.S	42.4 x 2.6	80	42.4	FF-10
34.0130.482.S	48.3 x 2.0	80	48.3	FF-10
34.0130.486.S	48.3 x 2.6	80	48.3	FF-10

► 304 Model 0131

CODE	D	L	Ø	BOLT
34.0131.422.S	42.4 x 2.0	80	48.3	FF-10
34.0131.426.S	42.4 x 2.6	80	48.3	FF-10
34.0131.486.S	48.3 x 2.6	80	42.4	FF-10

► 316's' Model 0130

CODE	D	L	Ø	BOLT
36.0130.422.S	42.4 x 2.0	80	42.4	FF-11
36.0130.426.S	42.4 x 2.6	80	42.4	FF-11
36.0130.482.S	48.3 x 2.0	80	48.3	FF-11
36.0130.486.S	48.3 x 2.6	80	48.3	FF-11

► 316's' Model 0131

CODE	D	L	Ø	BOLT
36.0131.422.S	42.4 x 2.0	80	48.3	FF-11
36.0131.426.S	42.4 x 2.6	80	48.3	FF-11
36.0131.486.S	48.3 x 2.6	80	42.4	FF-11

ACCESSORIES




PAGE 80

Glue
50 ml
10.9010.000.A

INFO



Stem and Saddles




► 304 Model 0200

CODE	BOLT
34.0200.000.S	FF-12

► 316's' Model 0200

CODE	BOLT
36.0200.000.S	FF-13





► 304 Model 0205

CODE	BOLT
34.0205.000.S	FF-12

► 316's' Model 0205

CODE	BOLT
36.0205.000.S	FF-13





► 304 Model 0200

CODE	Ø	BOLT
34.0200.420.S	42.4	FF-10
34.0200.480.S	48.3	FF-10

► 316's' Model 0200

CODE	Ø	BOLT
36.0200.420.S	42.4	FF-11
36.0200.480.S	48.3	FF-11





► 304 Model 0205

CODE	Ø	BOLT
34.0205.420.S	42.4	FF-10
34.0205.480.S	48.3	FF-10

► 316's' Model 0205

CODE	Ø	BOLT
36.0205.420.S	42.4	FF-11
36.0205.480.S	48.3	FF-11





► 304 Model 0210

CODE	Ø	BOLT
34.0210.420.S	42.4	FF-10
34.0210.480.S	48.3	FF-10

► 316's' Model 0210

CODE	Ø	BOLT
36.0210.420.S	42.4	FF-11
36.0210.480.S	48.3	FF-11



► 304 Model 0220

CODE	Ø	BOLT
34.0220.420.S	42.4	FF-10
34.0220.480.S	48.3	FF-10

► 316's' Model 0220

CODE	Ø	BOLT
36.0220.420.S	42.4	FF-11
36.0220.480.S	48.3	FF-11

Handrail Saddle/Stems




► 304 Model 0300

CODE	BOLT
34.0300.000.S	FF-12

► 316's' Model 0300

CODE	BOLT
36.0300.000.S	FF-11




► 304 Model 0300

CODE	Ø	BOLT
34.0300.420.S	42.4	FF-10
34.0300.480.S	48.3	FF-10

► 316's' Model 0300

CODE	Ø	BOLT
36.0300.420.S	42.4	FF-11
36.0300.480.S	48.3	FF-11




► 304 Model 0310

CODE	BOLT
34.0310.000.S	FF-48

► 316's' Model 0310

CODE	BOLT
36.0310.000.S	FF-49



► 304 Model 0315

CODE	BOLT
34.0315.000.S	FF-48

► 316's' Model 0315

CODE	BOLT
36.0315.000.S	FF-49

ACCESSORIES



PAGE 80

Stainless Steel
Cleaner
500 ml
10.9020.000.A

ACCESSORIES




PAGE 80

Stain Remover
500 ml
10.9030.000.A

INFO



Handrail Brackets - Post Fix




► 304 Model 0400

CODE	BOLT
34.0400.000.S	FF-12 / FF-21

► 316's' Model 0400

CODE	BOLT
36.0400.000.S	FF-13 / FF-22




► 304 Model 0405

CODE	BOLT
34.0405.000.S	FF-12 / FF-2

► 316's' Model 0405

CODE	BOLT
36.0405.000.S	FF-13 / FF-22




► 304 Model 0400

CODE	Ø	BOLT
34.0400.420.S	42.4	FF-10 / FF-21
34.0400.480.S	48.3	FF-10 / FF-21

► 316's' Model 0400

CODE	Ø	BOLT
36.0400.420.S	42.4	FF-11 / FF-22
36.0400.480.S	48.3	FF-11 / FF-22



► 304 Model 0405

CODE	Ø	BOLT
34.0405.420.S	42.4	FF-10 / FF-21
34.0405.480.S	48.3	FF-10 / FF-21

► 316's' Model 0405


CODE	Ø	BOLT
36.0405.420.S	42.4	FF-11 / FF-22
36.0405.480.S	48.3	FF-11 / FF-22



E INFO

'Part M' Requirement


Diagram 7 Handrail design



E INFO



Handrail Brackets - Post Fix




► 304 Model 0410

CODE	D	BOLT
34.0410.420.S	42.4	FF-12 / FF-21
34.0410.480.S	48.3	FF-12 / FF-21

► 316's' Model 0410

CODE	D	BOLT
36.0410.420.S	42.4	FF-13 / FF-22
36.0410.480.S	48.3	FF-13 / FF-22




► 304 Model 0415

CODE	D	BOLT
34.0415.420.S	42.4	FF-12 / FF-21
34.0415.480.S	48.3	FF-12 / FF-21

► 316's' Model 0415

CODE	D	BOLT
36.0415.420.S	42.4	FF-13 / FF-22
36.0415.480.S	48.3	FF-13 / FF-22




► 304 Model 0420/0421

CODE	D	Ø	BOLT
34.0420.420.S	42.4	42.4	FF-10 / FF-21
34.0420.480.S	48.3	48.3	FF-10 / FF-21
34.0421.420.S	42.4	48.3	FF-10 / FF-21

► 316's' Model 0420/0421

CODE	D	Ø	BOLT
36.0420.420.S	42.4	42.4	FF-11 / FF-22
36.0420.480.S	48.3	48.3	FF-11 / FF-22
36.0421.420.S	42.4	48.3	FF-11 / FF-22



► 304 Model 0425/0426


CODE	D	Ø	BOLT
34.0425.420.S	42.4	42.4	FF-10 / FF-21
34.0425.480.S	48.3	48.3	FF-10 / FF-21
34.0426.420.S	42.4	48.3	FF-10 / FF-21

► 316's' Model 0425/0426

CODE	D	Ø	BOLT
36.0425.420.S	42.4	42.4	FF-11 / FF-22
36.0425.480.S	48.3	48.3	FF-11 / FF-22
36.0426.420.S	42.4	48.3	FF-11 / FF-22




E INFO




E INFO

'Part M' Requirement

Diagram 7 Handrail design



Handrail Brackets - Wall Fix




► 304 Model 0430

CODE	BOLT
34.0430.000.S	FF-12

► 316's' Model 0430

CODE	BOLT
36.0430.000.S	FF-13




► 304 Model 0435

CODE	BOLT
34.0435.000.S	FF-12

► 316's' Model 0435

CODE	BOLT
36.0435.000.S	FF-13




► 304 Model 0430

CODE	Ø	BOLT
34.0430.420.S	42.4	FF-10
34.0430.480.S	48.3	FF-10

► 316's' Model 0430

CODE	Ø	BOLT
36.0430.420.S	42.4	FF-11
36.0430.480.S	48.3	FF-11



► 304 Model 0435

CODE	Ø	BOLT
34.0435.420.S	42.4	FF-10
34.0435.480.S	48.3	FF-10

► 316's' Model 0435


CODE	Ø	BOLT
36.0435.420.S	42.4	FF-11
36.0435.480.S	48.3	FF-11




E INFO

'Part M' Requirement


Diagram 7 Handrail design



E INFO



Handrail Brackets - Glass Fix




FREE FIXINGS

► 304 Model 0440

CODE	BOLT
34.0440.000.S	FF-12

► 316's' Model 0440

CODE	BOLT
36.0440.000.S	FF-13




FREE FIXINGS

► 304 Model 0445

CODE	BOLT
34.0445.000.S	FF-12

► 316's' Model 0445

CODE	BOLT
36.0445.000.S	FF-13




FREE FIXINGS

► 304 Model 0440

CODE	Ø	BOLT
34.0440.420.S	42.4	FF-10
34.0440.480.S	48.3	FF-10

► 316's' Model 0440

CODE	Ø	BOLT
36.0440.420.S	42.4	FF-11
36.0440.480.S	48.3	FF-11



FREE FIXINGS

► 304 Model 0445


CODE	Ø	BOLT
34.0445.420.S	42.4	FF-10
34.0445.480.S	48.3	FF-10

► 316's' Model 0445

CODE	Ø	BOLT
36.0445.420.S	42.4	FF-11
36.0445.480.S	48.3	FF-11




E INFO




E INFO

'Part M' Requirement

Diagram 7 Handrail design





► 304 Model 0510


CODE

34.0510.000.S

► 316's' Model 0510

CODE

36.0510.000.S



► 304 Model 0520

CODE

34.0520.000.S


► 316's' Model 0520

CODE

36.0520.000.S



FREE FIXINGS



► 304 Model 0511

CODE

34.0511.000.S

BOLT

FF-12

► 316's' Model 0511

CODE


36.0511.000.S

BOLT

FF-13



FREE FIXINGS



► 304 Model 0511

CODE

34.0511.420.S

Ø

42.4

BOLT

FF-10

34.0511.480.S

48.3

FF-10

► 316's' Model 0511

CODE

36.0511.420.S

Ø

42.4

BOLT

FF-11


36.0511.480.S

48.3

FF-11



FREE FIXINGS



► 304 Model 0521

CODE

34.0521.000.S

BOLT

FF-12

► 316's' Model 0521

CODE


36.0521.000.S

BOLT

FF-13



FREE FIXINGS



► 304 Model 0521

CODE

34.0521.420.S

Ø

42.4

BOLT

FF-10

34.0521.480.S

48.3

FF-10

► 316's' Model 0521

CODE

36.0521.420.S

Ø

42.4

BOLT

FF-11


36.0521.480.S

48.3

FF-11



Handrail Supports



► 304 Model 0530

CODE	BOLT
34.0530.000.S	FF-12

► 316's' Model 0530

CODE	BOLT
36.0530.000.S	FF-13




► 304 Model 0530

CODE	Ø	BOLT
34.0530.420.S	42.4	FF-10
34.0530.480.S	48.3	FF-10


► 316's' Model 0530

CODE	Ø	BOLT
36.0530.420.S	42.4	FF-11
36.0530.480.S	48.3	FF-11




► 304 Model 0540

CODE	BOLT
34.0540.070.S	FF-48



► 304 Model 0541

CODE	BOLT
34.0541.000.S	FF-48



► 304 Model 0542


CODE	Ø
34.0542.012.S	12




E INFO

'Part M' Requirement

Diagram 7 Handrail design






► 304 Model 0600

CODE	L	Ø
34.0600.422.S	30	42.4 x 2.0
34.0600.426.S	30	42.4 x 2.6
34.0600.482.S	35	48.3 x 2.0
34.0600.486.S	35	48.3 x 2.6

► 316's' Model 0600

CODE	L	Ø
36.0600.422.S	30	42.4 x 2.0
36.0600.426.S	30	42.4 x 2.6
36.0600.482.S	35	48.3 x 2.0
36.0600.486.S	35	48.3 x 2.6




► 304 Model 0610

CODE	L	Ø
34.0610.422.S	30	42.4 x 2.0
34.0610.426.S	30	42.4 x 2.6
34.0610.482.S	35	48.3 x 2.0
34.0610.486.S	35	48.3 x 2.6

► 316's' Model 0610

CODE	L	Ø
36.0610.422.S	30	42.4 x 2.0
36.0610.426.S	30	42.4 x 2.6
36.0610.482.S	35	48.3 x 2.0
36.0610.486.S	35	48.3 x 2.6




► 304 Model 0620

CODE	L	Ø
34.0620.422.S	30	42.4 x 2.0
34.0620.426.S	30	42.4 x 2.6
34.0620.482.S	35	48.3 x 2.0
34.0620.486.S	35	48.3 x 2.6

► 316's' Model 0620

CODE	L	Ø
36.0620.422.S	30	42.4 x 2.0
36.0620.426.S	30	42.4 x 2.6
36.0620.482.S	35	48.3 x 2.0
36.0620.486.S	35	48.3 x 2.6



► 304 Model 0630

CODE	L	Ø
34.0630.422.S	30	42.4 x 2.0
34.0630.426.S	30	42.4 x 2.6
34.0630.482.S	35	48.3 x 2.0
34.0630.486.S	35	48.3 x 2.6

► 316's' Model 0630

CODE	L	Ø
36.0630.422.S	30	42.4 x 2.0
36.0630.426.S	30	42.4 x 2.6
36.0630.482.S	35	48.3 x 2.0
36.0630.486.S	35	48.3 x 2.6

E INFO




E ACCESSORIES



PAGE 80

Glue
50 ml
10.9010.000.A

Elbows




► 304 Model 0640

CODE	L	Ø
34.0640.012.S	35	12

► 316's' Model 0640

CODE	L	Ø
36.0640.012.S	35	12




► 304 Model 0640

CODE	Ø
34.0640.016.S	16 x 1.0

► 316's' Model 0640

CODE	Ø
36.0640.016.S	16.0 x 1.0




► 304 Model 0640

CODE	L	Ø
34.0640.422.S	27	42.4 x 2.0
34.0640.426.S	27	42.4 x 2.6
34.0640.482.S	30	48.3 x 2.0
34.0640.486.S	30	48.3 x 2.6

► 316's' Model 0640

CODE	L	Ø
36.0640.422.S	27	42.4 x 2.0
36.0640.426.S	27	42.4 x 2.6
36.0640.482.S	30	48.3 x 2.0
36.0640.486.S	30	48.3 x 2.6



► 304 Model 0650

CODE	L	Ø
34.0650.420.S	65	42.4
34.0650.480.S	75	48.3

► 316's' Model 0650

CODE	L	Ø
36.0650.420.S	65	42.4
36.0650.480.S	75	48.3

F ACCESSORIES



PAGE 80


Stainless Steel
Cleaner
500 ml
10.9020.000.A

F ACCESSORIES



PAGE 80

Stain Remover
500 ml
10.9030.000.A




► 304 Model 0660

CODE	L	Ø
34.0660.422.S	80	42.4 x 2.0
34.0660.426.S	80	42.4 x 2.6
34.0660.482.S	85	48.3 x 2.0
34.0660.486.S	85	48.3 x 2.6

► 316's' Model 0660

CODE	L	Ø
36.0660.422.S	80	42.4 x 2.0
36.0660.426.S	80	42.4 x 2.6
36.0660.482.S	85	48.3 x 2.0
36.0660.486.S	85	48.3 x 2.6




► 304 Model 0700

CODE	L	Ø
34.0700.422.S	30	42.4 x 2.0
34.0700.426.S	30	42.4 x 2.6
34.0700.482.S	35	48.3 x 2.0
34.0700.486.S	35	48.3 x 2.6

► 316's' Model 0700

CODE	L	Ø
36.0700.422.S	30	42.4 x 2.0
36.0700.426.S	30	42.4 x 2.6
36.0700.482.S	35	48.3 x 2.0
36.0700.486.S	35	48.3 x 2.6




► 304 Model 0710

CODE	L	Ø
34.0710.422.S	60	42.4 x 2.0
34.0710.426.S	60	42.4 x 2.6
34.0710.482.S	70	48.3 x 2.0
34.0710.486.S	70	48.3 x 2.6

► 316's' Model 0710

CODE	L	Ø
36.0710.422.S	60	42.4 x 2.0
36.0710.426.S	60	42.4 x 2.6
36.0710.482.S	70	48.3 x 2.0
36.0710.486.S	70	48.3 x 2.6



► 304 Model 0720


CODE	Ø
34.0720.422.S	42.4 x 2.0
34.0720.426.S	42.4 x 2.6
34.0720.482.S	48.3 x 2.0
34.0720.486.S	48.3 x 2.6

► 316's' Model 0720

CODE	Ø
36.0720.422.S	42.4 x 2.0
36.0720.426.S	42.4 x 2.6
36.0720.482.S	48.3 x 2.0
36.0720.486.S	48.3 x 2.6

E INFO






► 304 Model 0730

CODE	D	BOLT
34.0730.422.S	42.4 x 2.0	FF-45
34.0730.426.S	42.4 x 2.6	FF-45
34.0730.482.S	48.3 x 2.0	FF-45
34.0730.486.S	48.3 x 2.6	FF-45

► 316's' Model 0730

CODE	D	BOLT
36.0730.422.S	42.4 x 2.0	FF-46
36.0730.426.S	42.4 x 2.6	FF-46
36.0730.482.S	48.3 x 2.0	FF-46
36.0730.486.S	48.3 x 2.6	FF-46




► 304 Model 0740

CODE	D	L	Ø	BOLT
34.0740.420.S	95	30	42.4	FF-6
34.0740.480.S	100	35	48.3	FF-6

► 316's' Model 0740

CODE	D	L	Ø	BOLT
36.0740.420.S	95	30	42.4	FF-7
36.0740.480.S	100	35	48.3	FF-7




► 304 Model 0760

CODE	Ø	BOLT
34.0760.420.S	42.4	FF-29

► 316's' Model 0760

CODE	Ø	BOLT
36.0760.420.S	42.4	FF-30




► 304 Model 0731/0732

CODE	D	Ø	BOLT
34.0731.422.S	42.4 x 2.0	42.4	FF-45
34.0731.426.S	42.4 x 2.6	42.4	FF-45
34.0731.482.S	48.3 x 2.0	48.3	FF-45
34.0731.486.S	48.3 x 2.6	48.3	FF-45
34.0732.422.S	42.4 x 2.0	48.3	FF-45
34.0732.426.S	42.4 x 2.6	48.3	FF-45

► 316's' Model 0731/0732

CODE	D	Ø	BOLT
36.0731.422.S	42.4 x 2.0	42.4	FF-46
36.0731.426.S	42.4 x 2.6	42.4	FF-46
36.0731.482.S	48.3 x 2.0	48.3	FF-46
36.0731.486.S	48.3 x 2.6	48.3	FF-46
36.0732.422.S	42.4 x 2.0	48.3	FF-46
36.0732.426.S	42.4 x 2.6	48.3	FF-46



► 304 Model 0750


CODE	L	Ø
34.0750.012.S	17.5	12

► 316's' Model 0750

CODE	L	Ø
36.0750.012.S	17.5	12

E INFO






► 304 Model 0800

CODE	Ø
34.0800.422.S	42.4 x 2.0
34.0800.426.S	42.4 x 2.6
34.0800.482.S	48.3 x 2.0
34.0800.486.S	48.3 x 2.6

► 316's' Model 0800

CODE	Ø
36.0800.422.S	42.4 x 2.0
36.0800.426.S	42.4 x 2.6
36.0800.482.S	48.3 x 2.0
36.0800.486.S	48.3 x 2.6




► 304 Model 0801

CODE	Ø
34.0801.422.S	42.4 x 2.0
34.0801.426.S	42.4 x 2.6
34.0801.482.S	48.3 x 2.0
34.0801.486.S	48.3 x 2.6

► 316's' Model 0801

CODE	Ø
36.0801.422.S	42.4 x 2.0
36.0801.426.S	42.4 x 2.6
36.0801.482.S	48.3 x 2.0
36.0801.486.S	48.3 x 2.6




► 304 Model 0810

CODE	Ø
34.0810.422.S	42.4 x 2.0
34.0810.426.S	42.4 x 2.6
34.0810.482.S	48.3 x 2.0
34.0810.486.S	48.3 x 2.6

► 316's' Model 0810

CODE	Ø
36.0810.422.S	42.4 x 2.0
36.0810.426.S	42.4 x 2.6
36.0810.482.S	48.3 x 2.0
36.0810.486.S	48.3 x 2.6




► 304 Model 0811

CODE	Ø
34.0811.422.S	42.4 x 2.0
34.0811.426.S	42.4 x 2.6
34.0811.482.S	48.3 x 2.0
34.0811.486.S	48.3 x 2.6

► 316's' Model 0811

CODE	Ø
36.0811.422.S	42.4 x 2.0
36.0811.426.S	42.4 x 2.6
36.0811.482.S	48.3 x 2.0
36.0811.486.S	48.3 x 2.6

E INFO




E ACCESSORIES



PAGE 80

Stain Remover
500 ml
10.9030.000.A



► 304 Model 0820

CODE	L	Ø
34.0820.422.S	21	42.4 x 2.0
34.0820.426.S	21	42.4 x 2.6
34.0820.482.S	24	48.3 x 2.0
34.0820.486.S	24	48.3 x 2.6

► 316's' Model 0820

CODE	L	Ø
36.0820.422.S	21	42.4 x 2.0
36.0820.426.S	21	42.4 x 2.6
36.0820.482.S	24	48.3 x 2.0
36.0820.486.S	24	48.3 x 2.6




► 304 Model 0850

CODE	Ø
34.0850.422.S	42.4 x 2.0
34.0850.426.S	42.4 x 2.6
34.0850.482.S	48.3 x 2.0
34.0850.486.S	48.3 x 2.6

► 316's' Model 0850

CODE	Ø
36.0850.422.S	42.4 x 2.0
36.0850.426.S	42.4 x 2.6
36.0850.482.S	48.3 x 2.0
36.0850.486.S	48.3 x 2.6




► 304 Model 0860

CODE	L	Ø
34.0860.016.S	4	16 x 1.0
34.0860.422.S	9	42.4 x 2.0
34.0860.426.S	9	42.4 x 2.6
34.0860.482.S	10	48.3 x 2.0
34.0860.486.S	10	48.3 x 2.6


► 316's' Model 0860

CODE	L	Ø
36.0860.422.S	9	42.4 x 2.0
36.0860.426.S	9	42.4 x 2.6
36.0860.482.S	10	48.3 x 2.0
36.0860.486.S	10	48.3 x 2.6



► 304 Model 0870

CODE	L	Ø
34.0870.042.S	4	42.4
34.0870.048.S	4	48.3
34.0870.050.S	4	50
34.0870.100.S	6	100



► 304 Model 0871

CODE	L	Ø
34.0871.042.S	8.5	42.4
34.0871.048.S	9.5	48.3

F ACCESSORIES



PAGE 80


Glue
50 ml
10.9010.000.A

F ACCESSORIES



PAGE 80

Stainless Steel
Cleaner
500 ml
10.9020.000.A




► **304 Model 1000**

CODE	D	Ø
34.1000.420.S	70	42.4
34.1000.480.S	70	48.3

► **316's' Model 1000**

CODE	D	Ø
36.1000.420.S	70	42.4
36.1000.480.S	70	48.3




► **304 Model 1020**

CODE	Ø
34.1020.420.S	42.4
34.1020.480.S	48.3

► **316's' Model 1020**

CODE	Ø
36.1020.420.S	42.4
36.1020.480.S	48.3




► **304 Model 1010**

CODE	Ø
34.1010.420.S	42.4
34.1010.480.S	48.3

► **316's' Model 1010**

CODE	Ø
36.1010.420.S	42.4
36.1010.480.S	48.3




► **304 Model 1030**

CODE	Ø
34.1030.420.S	42.4
34.1030.480.S	48.3

► **316's' Model 1030**

CODE	Ø
36.1030.420.S	42.4
36.1030.480.S	48.3




► 304 Model 1040

CODE	Ø	L
34.1040.420.S	42.4	50
34.1040.480.S	48.3	55

► **316's' Model 1040**

CODE	Ø	L
36.1040.420.S	42.4	50
36.1040.480.S	48.3	55

F INFO




► 304 Model 1100

CODE	D	B	Ø
34.1100.420.R	105	80	42.4
34.1100.480.R	115	90	48.3

► 316's' Model 1100

CODE	D	B	Ø
36.1100.420.R	105	80	42.4
36.1100.480.R	115	90	48.3




► 304 Model 1101

CODE	D	Ø
34.1101.420.S	110	42.4
34.1101.480.S	120	48.3

► 316's' Model 1101

CODE	D	Ø
36.1101.420.S	110	42.4
36.1101.480.S	120	48.3




► 304 Model 1510

CODE	D	Ø	B
34.1510.426.S	105	42.4 x 2.6	80
34.1510.486.S	115	48.3 x 2.6	90

► 316 Model 1510

CODE	D	Ø	B
36.1510.426.S	105	42.4 x 2.6	80
36.1510.486.S	115	48.3 x 2.6	90




► 304 Model 1610

CODE	D	Ø	B	L1	L2
34.1610.426.S	105	42.4 x 2.6	80	195	120
34.1610.486.S	115	48.3 x 2.6	90	195	120

► 316 Model 1610

CODE	D	Ø	B	L1	L2
36.1610.426.S	105	42.4 x 2.6	80	195	120
36.1610.486.S	115	48.3 x 2.6	90	195	120




► 304 Model 1620

CODE	D	Ø	B	L1	L2
34.1620.426.S	105	42.4 x 2.6	80	195	120
34.1620.486.S	115	48.3 x 2.6	90	195	120

► 316 Model 1620

CODE	D	Ø	B	L1	L2
36.1620.426.S	105	42.4 x 2.6	80	195	120
36.1620.486.S	115	48.3 x 2.6	90	195	120




► 304 Model 1630

CODE	D	Ø	B	L1	L2
34.1630.426.S	105	42.4 x 2.6	80	195	120
34.1630.486.S	115	48.3 x 2.6	90	195	120

► 316 Model 1630

CODE	D	Ø	B	L1	L2
36.1630.426.S	105	42.4 x 2.6	80	195	120
36.1630.486.S	115	48.3 x 2.6	90	195	120





► 304 Model 1110

CODE	D	Ø
34.1110.420.R	100	42.4
34.1110.480.R	100	48.3

► 316's' Model 1110

CODE	D	Ø
36.1110.420.R	100	42.4
36.1110.480.R	100	48.3




► 304 Model 1111

CODE	D	Ø
34.1111.420.S	105	42.4
34.1111.480.S	105	48.3

► 316's' Model 1111

CODE	H	Ø
36.1111.420.S	105	42.4
36.1111.480.S	105	48.3





► 304 Model 1120

CODE	D	Ø
34.1120.420.R	120	42.4
34.1120.480.R	120	48.3

► 316's' Model 1120

CODE	D	Ø
36.1120.420.R	120	42.4
36.1120.480.R	120	48.3




► 304 Model 1121

CODE	D	Ø
34.1121.420.S	125	42.4
34.1121.480.S	125	48.3

► 316's' Model 1121

CODE	H	Ø
36.1121.420.S	125	42.4
36.1121.480.S	125	48.3




► 304 Model 1520

CODE	Ø
34.1520.426.S	42.4 x 2.6
34.1520.486.S	48.3 x 2.6

► 316 Model 1520

CODE	Ø
36.1520.426.S	42.4 x 2.6
36.1520.486.S	48.3 x 2.6




► 304 Model 1530

CODE	Ø
34.1530.426.S	42.4 x 2.6
34.1530.486.S	48.3 x 2.6


► 316 Model 1530

CODE	Ø
36.1530.426.S	42.4 x 2.6
36.1530.486.S	48.3 x 2.6




► 304 Model 1200

CODE	D	Ø
34.1200.420.S	100	42.4
34.1200.480.S	100	48.3




► 304 Model 1210

CODE	D	Ø
34.1210.420.S	120	42.4
34.1210.480.S	120	48.3



► 304 Model 1250

CODE	L	H	Ø
34.1250.120.S	120	80	11



► 304 Model 1280

CODE	Ø
34.1280.420.S	42.4
34.1280.480.S	48.3

F ACCESSORIES



PAGE 80


Stainless Steel
Cleaner
500 ml
10.9020.000.A

F ACCESSORIES



PAGE 80

Stain Remover
500 ml
10.9030.000.A




► 304 Model 1310

CODE	Ø
34.1310.420.S	42.4
34.1310.480.S	48.3


► 316's' Model 1310

CODE	Ø
36.1310.420.S	42.4
36.1310.480.S	48.3



► Model 1321

CODE
10.1321.059.P




► 304 Model 1320

CODE
34.1320.060.S


► 316's' Model 1320

CODE
36.1320.060.S




► Model 1311

CODE
10.1311.059.P



► 304 Model 1710

CODE	Ø
34.1710.426.S	42.4 x 2.6
34.1710.486.S	48.3 x 2.6



► 304 Model 1300

CODE	Ø
34.1300.426.R	42.4 x 2.6
34.1300.486.R	48.3 x 2.6

► 316's' Model 1300

CODE	Ø
36.1300.426.R	42.4 x 2.6
36.1300.486.R	48.3 x 2.6

E INFO



E ACCESSORIES



PAGE 80

Stainless Steel Cleaner
500 ml
10.9020.000.A



E ACCESSORIES



PAGE 80

Stain Remover
500 ml
10.9030.000.A

Crossbar Holders





► 304 Model 2010/2012

CODE	Ø	BOLT
34.2010.000.S	10	FF-15
34.2012.000.S	12	FF-15

► 316's' Model 2012

CODE	Ø	BOLT
36.2012.000.S	12	FF-16





► 304 Model 2212

CODE	Ø	BOLT
34.2012.000.S	12	FF-15

► 316's' Model 2212

CODE	Ø	BOLT
36.2212.000.S	12	FF-16





► 304 Model 2010/2012

CODE	D	Ø	BOLT
34.2010.420.S	42.4	10	FF-15
34.2012.420.S	42.4	12	FF-15
34.2012.480.S	48.3	12	FF-15

► 316's' Model 2012

CODE	D	Ø	BOLT
36.2012.420.S	42.4	12	FF-16
36.2012.480.S	48.3	12	FF-16





► 304 Model 2110/2112

CODE	Ø	BOLT
34.2110.000.S	10	FF-15
34.2112.000.S	12	FF-15

► 316's' Model 2012

CODE	Ø	BOLT
36.2112.000.S	12	FF-16





► 304 Model 2312

CODE	Ø	BOLT
34.2312.000.S	12	FF-15

► 316's' Model 2312

CODE	Ø	BOLT
36.2312.000.S	12	FF-16





► 304 Model 2110/2112

CODE	D	Ø	BOLT
34.2110.420.S	42.4	10	FF-15
34.2112.420.S	42.4	12	FF-15
34.2112.480.S	48.3	12	FF-15

► 316's' Model 2112

CODE	D	Ø	BOLT
36.2112.420.S	42.4	12	FF-16
36.2112.480.S	48.3	12	FF-16

Crossbar Holders





► 304 Model 2212

CODE	D	Ø	BOLT
34.2212.420.S	42.4	12	FF-15
34.2212.480.S	48.3	12	FF-15

► 316's' Model 2212

CODE	D	Ø	BOLT
36.2212.420.S	42.4	12	FF-16
36.2212.480.S	48.3	12	FF-16





► 304 Model 2416

CODE	Ø	BOLT
34.2416.000.S	16	FF-19



► 316's' Model 2416

CODE	Ø	BOLT
36.2416.000.S	16	FF-20



► 304 Model 2812

CODE	Ø	BOLT
34.2812.420.S	42.4	FF-15
34.2812.480.S	48.3	FF-15





► 304 Model 2312

CODE	D	Ø	BOLT
34.2312.420.S	42.4	12	FF-15
34.2312.480.S	48.3	12	FF-15

► 316's' Model 2312

CODE	D	Ø	BOLT
36.2312.420.S	42.4	12	FF-16
36.2312.480.S	48.3	12	FF-16





► 304 Model 2416

CODE	D	Ø	BOLT
34.2416.420.S	42.4	16	FF-19
34.2416.480.S	48.3	16	FF-19

► 316's' Model 2416

CODE	D	Ø	BOLT
36.2416.420.S	42.4	16	FF-20
36.2416.480.S	48.3	16	FF-20



► 304 Model 2912


CODE	Ø	BOLT
34.2912.420.S	42.4	FF-15
34.2912.480.S	48.3	FF-15



TUBES AND BARS




Tubes and Bars





► 304 Ø 10mm Bar

CODE	L
34.1900.010.S	5000 mm
34.1910.010.S	2500 mm



► 304 Ø 12mm Bar

CODE	L
34.1900.012.S	5000 mm
34.1910.012.S	2500 mm




► 304 Ø 16mm Tube

CODE	L	T(mm)
34.1900.016.S	5000 mm	1.0
34.1910.016.S	2500 mm	1.0

► 316 Ø 16mm Tube

CODE	L	T(mm)
36.1900.016.S	5000 mm	1.0
36.1910.016.S	2500 mm	1.0





► 304 Ø 42.4mm Tube

CODE	L	T(mm)
34.1900.422.S	5000 mm	2.0
34.1900.426.S	5000 mm	2.6
34.1910.422.S	2500 mm	2.0
34.1910.426.S	2500 mm	2.6

► 316 Ø 42.4mm Tube

CODE	L	T(mm)
36.1900.422.S	5000 mm	2.0
36.1900.426.S	5000 mm	2.6
36.1910.422.S	2500 mm	2.0
36.1910.426.S	2500 mm	2.6



► 304 Ø 48.3mm Tube


CODE	L	T(mm)
34.1900.482.S	5000 mm	2.0
34.1900.486.S	5000 mm	2.6
34.1910.482.S	2500 mm	2.0
34.1910.486.S	2500 mm	2.6

► 316 Ø 48.3mm Tube

CODE	L	T(mm)
36.1900.482.S	5000 mm	2.0
36.1900.486.S	5000 mm	2.6
36.1910.482.S	2500 mm	2.0
36.1910.486.S	2500 mm	2.6



MIRROR POLISHED




► 304 Model 0110 Stem Connector

CODE	D	L	Ø	BOLT
34.0110.426.M	42.4 x 2.6	80	42.4	FF-10
34.0110.486.M	48.3 x 2.6	80	48.3	FF-10

► 316's' Model 0110

CODE	D	L	Ø	BOLT
36.0110.426.M	42.4 x 2.6	80	42.4	FF-11
36.0110.486.M	48.3 x 2.6	80	48.3	FF-11




► 304 Model 0130 Stem Connector

CODE	D	L	Ø	BOLT
34.0130.426.M	42.4 x 2.6	80	42.4	FF-10
34.0130.486.M	48.3 x 2.6	80	48.3	FF-10

► 316's' Model 0130

CODE	D	L	Ø	BOLT
36.0130.426.M	42.4 x 2.6	80	42.4	FF-11
36.0130.486.M	48.3 x 2.6	80	48.3	FF-11




► 304 Model 0115 Stem Connector

CODE	D	L	Ø	BOLT
34.0115.426.M	42.4 x 2.6	80	42.4	FF-10
34.0115.486.M	48.3 x 2.6	80	48.3	FF-10

► 316's' Model 0115

CODE	D	L	Ø	BOLT
36.0115.426.M	42.4 x 2.6	80	42.4	FF-11
36.0115.486.M	48.3 x 2.6	80	48.3	FF-11





► 304 Model 0521 Handrail Bracket - Wall Fix

CODE	Ø	BOLT
34.0521.420.M	42.4	FF-10
34.0521.480.M	48.3	FF-10

► 316's' Model 0521

CODE	Ø	BOLT
36.0521.420.M	42.4	FF-11
36.0521.480.M	48.3	FF-11





► 304 Model 0440 Handrail Bracket - Glass Fix

CODE	Ø	BOLT
34.0440.420.M	42.4	FF-10
34.0440.480.M	48.3	FF-10

► 316's' Model 0440

CODE	Ø	BOLT
36.0440.420.M	42.4	FF-11
36.0440.480.M	48.3	FF-11




► 304 Model 0445 Handrail Bracket - Glass Fix

CODE	Ø	BOLT
34.0445.420.M	42.4	FF-10
34.0445.480.M	48.3	FF-10

► 316's' Model 0445

CODE	Ø	BOLT
36.0445.420.M	42.4	FF-11
36.0445.480.M	48.3	FF-11




► **304 Model 0610 Elbow**

CODE	L	Ø
34.0610.426.M	30	42.4 x 2.6
34.0610.486.M	35	48.3 x 2.6

► **316's' Model 0610**

CODE	L	Ø
36.0610.426.M	30	42.4 x 2.6
36.0610.486.M	35	48.3 x 2.6




► **304 Model 0720 Connector**

CODE	Ø
34.0720.426.M	42.4 x 2.6
34.0720.486.M	48.3 x 2.6

► **316's' Model 0720**

CODE	Ø
36.0720.426.M	42.4 x 2.6
36.0720.486.M	48.3 x 2.6




► **304 Model 0740 Wall Flange**

CODE	D	L	Ø
34.0740.420.M	95	30	42.4
34.0740.480.M	100	35	48.3

► **316's' Model 0740**

CODE	D	L	Ø
36.0740.420.M	95	30	42.4
36.0740.480.M	100	35	48.3





► **304 Model 0640 Elbow**

CODE	L	Ø
34.0640.426.M	27	42.4 x 2.6
34.0640.486.M	30	48.3 x 2.6

► **316's' Model 0640**

CODE	L	Ø
36.0640.426.M	27	42.4 x 2.6
36.0640.486.M	30	48.3 x 2.6




► **304 Model 0731 Connector**

CODE	D	Ø	BOLT
34.0731.426.M	42.4 x 2.6	42.4	FF-45
34.0731.486.M	48.3 x 2.6	48.3	FF-45

► **316's' Model 0731**

CODE	D	Ø	BOLT
36.0731.426.M	42.4 x 2.6	42.4	FF-46
36.0731.486.M	48.3 x 2.6	48.3	FF-46




► **304 Model 0860 End Cap**

CODE	L	Ø
34.0860.426.M	9	42.4 x 2.6
34.0860.486.M	10	48.3 x 2.6

► **316's' Model 0860**

CODE	L	Ø
36.0860.426.M	9	42.4 x 2.6
36.0860.486.M	10	48.3 x 2.6




► 304 Model 1010 Side Fix Bracket

CODE	Ø
34.1010.420.M	42.4
34.1010.480.M	48.3

► 316's' Model 1010

CODE	Ø
36.1010.420.M	42.4
36.1010.480.M	48.3




► 304 Model 1510 Baluster Post

CODE	D	Ø	B
34.1510.426.M	105	42.4 x 2.6	80
34.1510.486.M	115	48.3 x 2.6	90

► 316 Model 1510

CODE	D	Ø	B
36.1510.426.M	105	42.4 x 2.6	80
36.1510.486.M	115	48.3 x 2.6	90



► 304 Ø 42.4 mm Tube

CODE	L	T(mm)
34.1900.426.M	5000mm	2.6
34.1910.426.M	2500mm	2.6

► 316 Ø 42.4 mm Tube

CODE	L	T(mm)
36.1900.426.M	5000mm	2.6
36.1910.426.M	2500mm	2.6




► 304 Model 32 Glass Clamps

CODE
SEE PAGE 45 FOR DETAILS

► 316's' Model 32

CODE
SEE PAGE 45 FOR DETAILS




► 304 Model 1101 Base Cover

CODE	D	Ø
34.1101.420.M	110	42.4
34.1101.480.M	120	48.3

► 316's' Model 1101

CODE	D	Ø
36.1101.420.M	110	42.4
36.1101.480.M	120	48.3



► 304 Ø 48.3 mm Tube


CODE	L	T(mm)
34.1900.486.M	5000mm	2.6
34.1910.486.M	2500mm	2.6

► 316 Ø 48.3 mm Tube

CODE	L	T(mm)
36.1900.486.M	5000mm	2.6
36.1910.486.M	2500mm	2.6



GLASS CLAMPS




► 304 Model 30 Flat

CODE	G (mm)	BOLT
34.3006.000.S	6	FF-45
34.3008.000.S	8	FF-45

► 316's' Model 30 Flat

CODE	G (mm)	BOLT
36.3006.000.S	6	FF-46
36.3008.000.S	8	FF-46




► 304 Model 30 Rad

CODE	Ø	G (mm)	BOLT
34.3006.420.S	42.4	6	FF-45
34.3008.420.S	42.4	8	FF-45


► 316's' Model 30 Rad

CODE	Ø	G (mm)	BOLT
36.3006.420.S	42.4	6	FF-46
36.3008.420.S	42.4	8	FF-46



► ZINTEC Model 30 Flat

CODE	G (mm)	BOLT
20.3006.000.R	6	FF-47
20.3008.000.R	8	FF-47
20.3006.000.S	6	FF-47
20.3008.000.S	8	FF-47



► ZINTEC Model 30 Rad

CODE	Ø	G (mm)	BOLT
20.3006.420.R	42.4	6	FF-47
20.3008.420.R	42.4	8	FF-47
20.3006.420.S	42.4	6	FF-47
20.3008.420.S	42.4	8	FF-47

INFO

ZINTEC Finishes

R = Raw Finish

S = Satin Effect




ACCESSORIES



PAGE 80

Glass Cleaner
500 ml
10.9025.000.A




► 304 Model 31 Flat

CODE	G (mm)	BOLT
34.3106.000.S	6	FF-45
34.3108.000.S	8	FF-45
34.3110.000.S	10	FF-45
34.3109.000.S	8.76	FF-45
34.3144.000.S	9.52	FF-45

► 316's' Model 31 Flat

CODE	G (mm)	BOLT
36.3106.000.S	6	FF-46
36.3108.000.S	8	FF-46
36.3110.000.S	10	FF-46
36.3109.000.S	8.76	FF-46
36.3144.000.S	9.52	FF-46




► 304 Model 31 Rad

CODE	Ø	G (mm)	BOLT
34.3106.420.S	42.4	6	FF-45
34.3108.420.S	42.4	8	FF-45
34.3110.420.S	42.4	10	FF-45
34.3109.420.S	42.4	8.76	FF-45
34.3144.420.S	42.4	9.52	FF-45


► 316's' Model 31 Flat

CODE	Ø	G (mm)	BOLT
36.3106.420.S	42.4	6	FF-46
36.3108.420.S	42.4	8	FF-46
36.3110.420.S	42.4	10	FF-46
36.3109.420.S	42.4	8.76	FF-46
36.3144.420.S	42.4	9.52	FF-46



► ZINTEC Model 31 Flat

CODE	G (mm)	BOLT
20.3106.000.R	6	FF-47
20.3108.000.R	8	FF-47
20.3110.000.R	10	FF-47
20.3106.000.S	6	FF-47
20.3108.000.S	8	FF-47
20.3110.000.S	10	FF-47



► ZINTEC Model 31 Rad

CODE	Ø	G (mm)	BOLT
20.3106.420.R	42.4	6	FF-47
20.3108.420.R	42.4	8	FF-47
20.3110.420.R	42.4	10	FF-47
20.3106.420.S	42.4	6	FF-47
20.3108.420.S	42.4	8	FF-47
20.3110.420.S	42.4	10	FF-47

INFO





► **316's' Model 32 Flat**

► **ZINTEC Model 32 Flat**

20.3206.000.S	6	FF-47
20.3208.000.S	8	FF-47
20.3210.000.S	10	FF-47



► **316's' Model 32 Rad**

► **ZINTEC Model 32 Rad**

20.3206.420.S	42.4	6	FF-47
20.3208.420.S	42.4	8	FF-47
20.3210.420.S	42.4	10	FF-47
20.3206.480.S	48.3	6	FF-47
20.3208.480.S	48.3	8	FF-47
20.3210.480.S	48.3	10	FF-47



Glass Clamps - Stainless/Mirror Polished




► 304 Model 32 Inline

CODE	G (mm)
34.3206.100.S	6
34.3208.100.S	8
34.3210.100.S	10
34.3209.100.S	8.76
34.3244.100.S	9.52
34.3209.100.S	8.76
34.3244.100.S	9.52



► 304 Model 32 90° Corner

CODE	G (mm)
34.3206.200.S	6
34.3208.200.S	8
34.3210.200.S	10
34.3209.200.S	8.76
34.3244.200.S	9.52
34.3209.200.S	8.76
34.3244.200.S	9.52




► 304 Model 32 Flat - Mirror Polished

CODE	G (mm)	BOLT
34.3206.000.M	6	FF-45
34.3208.000.M	8	FF-45
34.3210.000.M	10	FF-45
34.3209.000.M	8.76	FF-45
34.3244.000.M	9.52	FF-45

►► 316's' Model 32 Flat - Mirror Polished

CODE	G (mm)	BOLT
36.3206.000.M	6	FF-46
36.3208.000.M	8	FF-46
36.3210.000.M	10	FF-46
36.3209.000.M	8.76	FF-46
36.3244.000.M	9.52	FF-46



► 304 Model 32 Rad - Mirror Polished

CODE	Ø	G (mm)	BOLT
34.3206.420.M	42.4	6	FF-45
34.3208.420.M	42.4	8	FF-45
34.3210.420.M	42.4	10	FF-45
34.3209.420.M	42.4	8.76	FF-45
34.3244.420.M	42.4	9.52	FF-45
34.3206.480.M	48.3	6	FF-45
34.3208.480.M	48.3	8	FF-45
34.3210.480.M	48.3	10	FF-45
34.3209.480.M	48.3	8.76	FF-45
34.3244.480.M	48.3	9.52	FF-45

► 316's' Model 32 Rad - Mirror Polished

CODE	Ø	G (mm)	BOLT
36.3206.420.M	42.4	6	FF-46
36.3208.420.M	42.4	8	FF-46
36.3210.420.M	42.4	10	FF-46
36.3209.420.M	42.4	8.76	FF-46
36.3244.420.M	42.4	9.52	FF-46
36.3206.480.M	48.3	6	FF-46
36.3208.480.M	48.3	8	FF-46
36.3210.480.M	48.3	10	FF-46
36.3209.480.M	48.3	9.76	FF-46
36.3244.480.M	48.3	9.52	FF-46

E INFO


ZINTEC Finishes

R = Raw Finish

S = Satin Effect



Glass Clamps - Stainless/Zintec




► 304 Model 33 Flat

CODE	G (mm)	BOLT
34.3312.000.S	12	FF-45
34.3311.000.S	10.76	FF-45
34.3354.000.S	11.52	FF-45

► 316's' Model 33 Flat

CODE	G (mm)	BOLT
36.3312.000.S	12	FF-46
36.3311.000.S	10.76	FF-46
36.3354.000.S	11.52	FF-46




► 304 Model 33 Rad

CODE	Ø	G (mm)	BOLT
34.3312.420.S	42.4	12	FF-45
34.3311.420.S	42.4	10.76	FF-45
34.3354.420.S	42.4	11.52	FF-45
34.3312.480.S	48.3	12	FF-45
34.3311.480.S	48.3	10.76	FF-45
34.3354.480.S	48.3	11.52	FF-45


► 316's' Model 33 Rad

CODE	Ø	G (mm)	BOLT
36.3312.420.S	42.4	12	FF-46
36.3311.420.S	42.4	10.76	FF-46
36.3354.420.S	42.4	11.52	FF-46
36.3312.480.S	48.3	12	FF-46
36.3311.480.S	48.3	10.76	FF-46
36.3354.480.S	48.3	11.52	FF-46



► ZINTEC Model 33 Flat

CODE	G (mm)	BOLT
20.3312.000.R	12	FF-47
20.3312.000.S	12	FF-47



► ZINTEC Model 33 Rad

CODE	Ø	G (mm)	BOLT
20.3312.420.R	42.4	12	FF-47
20.3312.480.R	48.3	12	FF-47
20.3312.420.S	42.4	12	FF-47
20.3312.480.S	48.3	12	FF-47

INFO

ZINTEC Finishes

R = Raw Finish


S = Satin Effect



INFO



Glass Clamps - Stainless/Zintec




► 304 Model 34 Flat

CODE	G (mm)	BOLT
34.3408.000.S	8	FF-45
34.3410.000.S	10	FF-45
34.3412.000.S	12	FF-45
34.3411.000.S	10.76	FF-45
34.3454.000.S	11.52	FF-45


► 316's' Model 34 Flat

CODE	G (mm)	BOLT
36.3408.000.S	8	FF-46
36.3410.000.S	10	FF-46
36.3412.000.S	12	FF-46
36.3411.000.S	10.76	FF-46
36.3454.000.S	11.52	FF-46



► ZINTEC Model 34 Flat

CODE	G (mm)	BOLT
20.3408.000.R	8	FF-47
20.3410.000.R	10	FF-47
20.3412.000.R	12	FF-47
20.3408.000.S	8	FF-47
20.3410.000.S	10	FF-47
20.3412.000.S	12	FF-47




► 304 Model 34 Rad

CODE	Ø	G (mm)	BOLT
34.3408.420.S	42.4	8	FF-45
34.3410.420.S	42.4	10	FF-45
34.3412.420.S	42.4	12	FF-45
34.3411.420.S	42.4	10.76	FF-45
34.3454.420.S	42.4	11.52	FF-45
34.3408.480.S	48.3	8	FF-45
34.3410.480.S	48.3	10	FF-45
34.3412.480.S	48.3	12	FF-45
34.3411.480.S	48.3	10.76	FF-45
34.3454.480.S	48.3	11.52	FF-45

► 316's' Model 34 Rad

CODE	Ø	G (mm)	BOLT
36.3408.420.S	42.4	8	FF-46
36.3410.420.S	42.4	10	FF-46
36.3412.420.S	42.4	12	FF-46
36.3411.420.S	42.4	10.76	FF-46
36.3454.420.S	42.4	11.52	FF-46
36.3408.480.S	48.3	8	FF-46
36.3410.480.S	48.3	10	FF-46
36.3412.480.S	48.3	12	FF-46
36.3411.480.S	48.3	10.76	FF-46
36.3454.480.S	48.3	11.52	FF-46



► ZINTEC Model 34 Rad


CODE	Ø	G (mm)	BOLT
20.3408.420.R	42.4	8	FF-47
20.3410.420.R	42.4	10	FF-47
20.3412.420.R	42.4	12	FF-47
20.3408.480.R	48.3	8	FF-47
20.3410.480.R	48.3	10	FF-47
20.3412.480.R	48.3	12	FF-47
20.3408.420.S	42.4	8	FF-47
20.3410.420.S	42.4	10	FF-47
20.3412.420.S	42.4	12	FF-47
20.3408.480.S	48.3	8	FF-47
20.3410.480.S	48.3	10	FF-47
20.3412.480.S	48.3	12	FF-47

E ACCESSORIES



PAGE 80

Glass Cleaner
500 ml
10.9025.000.A




► 304 Model 35 Flat

CODE	G (mm)	BOLT
34.3510.000.S	10	FF-45
34.3512.000.S	12	FF-45
34.3515.000.S	15	FF-45

► 316's' Model 35 Flat

CODE	G (mm)	BOLT
36.3510.000.S	10	FF-46
36.3512.000.S	12	FF-46
36.3515.000.S	15	FF-46




► 304 Model 35 Rad

CODE	Ø	G (mm)	BOLT
34.3510.480.S	48.3	10	FF-45
34.3512.480.S	48.3	12	FF-45
34.3515.480.S	48.3	15	FF-45


► 316's' Model 35 Rad

CODE	Ø	G (mm)	BOLT
36.3510.480.S	48.3	10	FF-46
36.3512.480.S	48.3	12	FF-46
36.3515.480.S	48.3	15	FF-46



► ZINTEC Model 35 Flat

CODE	G (mm)	BOLT
20.3510.000.R	10	FF-47
20.3512.000.R	12	FF-47
20.3515.000.R	15	FF-47
20.3510.000.S	10	FF-47
20.3512.000.S	12	FF-47
20.3515.000.S	15	FF-47



► ZINTEC Model 35 Rad


CODE	Ø	G (mm)	BOLT
20.3510.480.R	48.3	10	FF-47
20.3512.480.R	48.3	12	FF-47
20.3515.480.R	48.3	15	FF-47
20.3510.480.S	48.3	10	FF-47
20.3512.480.S	48.3	12	FF-47
20.3515.480.S	48.3	15	FF-47

E INFO






Glass Clamps - Stainless Steel




► 316's' Model 38

CODE	G (mm)	BOLT
36.3808.100.S	8	FF-46
36.3810.100.S	10	FF-46
36.3812.100.S	12	FF-46




► 316's' Model 38

CODE	G (mm)	BOLT
36.3808.200.S	8	FF-46
36.3810.200.S	10	FF-46
36.3812.200.S	12	FF-46



► 316's' Model 38 Adaptor


CODE
36.3800.000.S



► 316's' Model 38 Adaptor

CODE
36.3800.420.S
36.3800.480.S

INFO





Glass Clamps - Rubbers and Pins



To Suit
Stainless Steel
Glass Clamps



To Suit
Zintec
Glass Clamps

Model 30 Rubbers

CODE	CLAMP	G (mm)
40.3006.000.R	SS	6
40.3008.000.R	SS	8

Model 31 Rubbers

CODE	CLAMP	G (mm)
40.3106.000.R	SS	6
40.3108.000.R	SS	8
40.3110.000.R	SS	10
40.3108.760.R	SS	8.76
40.3109.520.R	SS	9.52

Model 32 Rubbers

CODE	CLAMP	G (mm)
40.3206.000.R	SS	6
40.3208.000.R	SS	8
40.3210.000.R	SS	10
40.3208.760.R	SS	8.76
40.3209.520.R	SS	9.52

Model 33 Rubbers

CODE	CLAMP	G (mm)
40.3312.000.R	SS	12
40.3310.760.R	SS	10.76
40.3311.520.R	SS	11.52

Model 34 Rubbers

CODE	CLAMP	G (mm)
40.3408.000.R	SS	8
40.3410.000.R	SS	10
40.3412.000.R	SS	12
40.3410.760.R	SS	10.76
40.3411.520.R	SS	11.52

Model 35 Rubbers

CODE	CLAMP	G (mm)
40.3510.000.R	SS	10
40.3512.000.R	SS	12
40.3515.000.R	SS	15

Model 38 Rubbers

CODE	CLAMP	G (mm)
40.3808.000.R	SS	8
40.3810.000.R	SS	10
40.3812.000.R	SS	12

Model 30 Rubbers

CODE	CLAMP	G (mm)
41.3006.000.R	Zintec	6
41.3008.000.R	Zintec	8

Model 31 Rubbers

CODE	CLAMP	G (mm)
41.3106.000.R	Zintec	6
41.3108.000.R	Zintec	8
41.3110.000.R	Zintec	10

Model 32 Rubbers

CODE	CLAMP	G (mm)
41.3206.000.R	Zintec	6
41.3208.000.R	Zintec	8
41.3210.000.R	Zintec	10

Model 33 Rubbers


CODE	CLAMP	G (mm)
41.3312.000.R	Zintec	12

Model 34 Rubbers

CODE	CLAMP	G (mm)
41.3408.000.R	Zintec	8
41.3410.000.R	Zintec	10
41.3412.000.R	Zintec	12

Model 35 Rubbers

CODE	CLAMP	G (mm)
41.3510.000.R	Zintec	10
41.3512.000.R	Zintec	12
41.3515.000.R	Zintec	15



Model 30 Security Pins

CODE
40.4010.030.R

Model 32 Security Pins

CODE
40.4010.032.R

Model 33 Security Pins


CODE
40.4010.033.R

Model 34 Security Pins

CODE
40.4010.035.R



GLASS CONNECTORS & PANEL HOLDERS




► 304 Model 4010

CODE
34.4010.000.S

► 316's' Model 4010

CODE
36.4010.000.S




► 304 Model 4010

CODE	Ø
34.4010.420.S	42.4
34.4010.480.S	48.3


► 316's' Model 4010

CODE	Ø
36.4010.420.S	42.4
36.4010.480.S	48.3



► 304 Model 4010

CODE	L
34.4010.100.S	30




► 304 Model 4020


CODE
34.4020.016.S

► 316's' Model 4020

CODE
36.4020.016.S

E INFO





► 304 Model 4030


CODE

34.4030.000.S

► 316's' Model 4030

CODE

36.4030.000.S



► 304 Model 4030

CODE

34.4030.420.S

Ø

42.4

34.4030.480.S

48.3

► 316's' Model 4030

CODE


36.4030.420.S

Ø

42.4

36.4030.480.S

48.3



► 304 Model 4030

CODE

34.4030.100.S

► 316's' Model 4030

CODE

36.4030.100.S

E ACCESSORIES




PAGE 80

Stain Remover
500 ml
10.9030.000.A

E INFO



Panel Holders




► 304 Model 4500

CODE	BOLT
34.4500.000.S	FF-15

► 316's' Model 4500

CODE	BOLT
36.4500.000.S	FF-16




► 304 Model 4500

CODE	Ø	BOLT
34.4500.420.S	42.4	FF-15
34.4500.480.S	48.3	FF-15

► 316's' Model 4500

CODE	Ø	BOLT
36.4500.420.S	42.4	FF-16
36.4500.480.S	48.3	FF-16




► 304 Model 4510

CODE	BOLT
34.4510.000.S	FF-15

► 316's' Model 4510

CODE	BOLT
36.4510.000.S	FF-16



► 304 Model 4510

CODE	Ø	BOLT
34.4510.420.S	42.4	FF-15
34.4510.480.S	48.3	FF-15

► 316's' Model 4510

CODE	Ø	BOLT
36.4510.420.S	42.4	FF-16
36.4510.480.S	48.3	FF-16

F ACCESSORIES



PAGE 80

Stain Remover
500 ml
10.9030.000.A

F ACCESSORIES




PAGE 80

Internal Cleaner
500 ml
10.9025.000.A



WIRE-TEC




► **304 Model 6000 Tensioner With Jaw**

CODE	CABLE	Ø	D	H	L
34.6000.003.S	3.2mm	3.2	5	90	155 - 230
34.6000.006.S	6.0mm	6.0	7	125	200 - 290

► **316 Model 6000**

CODE	CABLE	Ø	D	H	L
36.6000.003.S	3.2mm	3.2	5	90	155 - 230
36.6000.006.S	6.0mm	6.0	7	125	200 - 290




► **304 Model 6010 Terminal With Jaw**

CODE	CABLE	Ø	D	L
34.6010.003.S	3.2mm	3.2	5	50
34.6010.006.S	6.0mm	6.0	7	70

► **316 Model 6010**

CODE	CABLE	Ø	D	L
36.6010.003.S	3.2mm	3.2	5	50
36.6010.006.S	6.0mm	6.0	7	70




► **304 Model 6020 Eye Bolt**

CODE	M	D	L
34.6020.003.S	M6	6.0	19
34.6020.006.S	M8	8.0	30

► **316 Model 6020**

CODE	M	D	L
36.6020.003.S	M6	6.0	19
36.6020.006.S	M8	8.0	30




► **304 Model 6030 Cable Stopper**

CODE	CABLE	Ø	D
34.6030.003.S	3.2mm	3.5	18
34.6030.006.S	6.0mm	6.5	20

► **316 Model 6030**

CODE	CABLE	Ø	D
36.6030.003.S	3.2mm	3.5	18
36.6030.006.S	6.0mm	6.5	20



► **304 Model 6203/6206 Cable (1 x 19)**

CODE	Ø	L
34.6203.010.S	3.2	10M
34.6203.050.S	3.2	50M
34.6203.100.S	3.2	100M
34.6206.010.S	6.0	10M
34.6206.050.S	6.0	50M
34.6206.100.S	6.0	100M

► **316 Model 6203/6206**

CODE	Ø	L
36.6203.010.S	3.2	10M
36.6203.050.S	3.2	50M
36.6203.100.S	3.2	100M
36.6206.010.S	6.0	10M
36.6206.050.S	6.0	50M
36.6206.100.S	6.0	100M




► **Model 6350 Cable Cutters**


CODE	Ø
10.6350.000.T	3.2



E INFO




E INFO




E INFO



E INFO



E INFO



See Page 58




► **304 Model 6100 Tensioner With Thread**

CODE	CABLE
34.6100.003.S	3.2mm

► **316 Model 6100**

CODE	CABLE
36.6100.003.S	3.2mm



► **304 Model 6110 Crossbar Holder For Tensioner - Left**

CODE	D	BOLT
34.6110.420.S	42.4	FF-15
34.6110.480.S	48.3	FF-15

► **316 Model 6110**

CODE	D	BOLT
36.6110.420.S	42.4	FF-16
36.6110.480.S	48.3	FF-16




► **304 Model 6203 Cable 3.2mm (1 x 19)**

CODE	Ø	L
34.6203.010.S	3.2	10M
34.6203.050.S	3.2	50M
34.6203.100.S	3.2	100M

► **316 Model 6203**

CODE	Ø	L
36.6203.010.S	3.2	10M
36.6203.050.S	3.2	50M
36.6203.100.S	3.2	100M




► **304 Model 6130 Crossbar Holder For Cable**

CODE	CABLE	D	BOLT
34.6130.420.S	3.2mm	42.4	FF-15
34.6130.480.S	3.2mm	48.3	FF-15

► **316 Model 6130**

CODE	CABLE	D	BOLT
36.6130.420.S	3.2mm	42.4	FF-16
36.6130.480.S	3.2mm	48.3	FF-16



► **304 Model 6120 Crossbar Holder For Tensioner - Right**


CODE	D	BOLT
34.6120.420.S	42.4	FF-15
34.6120.480.S	48.3	FF-15

► **316 Model 6120**

CODE	D	BOLT
36.6120.420.S	42.4	FF-16
36.6120.480.S	48.3	FF-16




TIMBER-TEC



► **Model 8000 Beech Handrail**

CODE	Ø	L
22.8000.420.B	42	2400
22.8000.480.B	48	2400



► **Model 8000 Oak Handrail**

CODE	Ø	L
22.8000.420.O	42	2400
22.8000.480.O	48	2400



► **304 Model 8010 Elbow**

CODE	Ø	L	BOLT
34.8010.420.S	42	60	FF-6
34.8010.480.S	48	65	FF-6




► **304 Model 8020 Elbow**

CODE	Ø	L	BOLT
34.8020.420.S	42	50	FF-6
34.8020.480.S	48	55	FF-6

E INFO





► **304 Model 8030 Return End**

CODE	Ø	L	H	BOLT
34.8030.420.S	42	70	91	FF-6
34.8030.480.S	48	75	89	FF-6



► **304 Model 8040 End Cap**

CODE	Ø	L	BOLT
34.8040.420.S	42	30	FF-6
34.8040.480.S	48	35	FF-6



► **304 Model 8050 Connector**

CODE	Ø	L	BOLT
34.8050.420.S	42	60	FF-6
34.8050.480.S	48	65	FF-6



► **304 Model 8060 Spigot**

CODE	Ø	L	BOLT
34.8060.420.S	42	21	FF-6
34.8060.480.S	48	23	FF-6



► **Model 6400 Aligning Tool**

CODE	Ø
10.6400.420.T	42
10.6400.480.T	48






GLASS-TEC




Glass-tec - Top Fix Base




► Model 1010 Top Fix Base Channel

CODE	MAT ^L	L
30.1010.000.A	Aluminium	2500
30.1010.500.A	Aluminium	5000




► Model 5500 Rubber Set

CODE	L	G
40.5500.013.R	2500	12.76 - 13.52
40.5500.015.R	2500	15
40.5500.017.R	2500	16.76 - 17.52
40.5500.019.R	2500	19
40.5500.021.R	2500	20.76 - 21.52




► Model 1020 Internal Corner

CODE	MAT ^L
30.1020.000.A	Aluminium




► Model 1030 External Corner

CODE	MAT ^L
30.1030.000.A	Aluminium



► Model 1040 End Cap

CODE	MAT ^L
30.1040.000.A	Aluminium



► Model 9210 Mounting Kit (25 No)

CODE	MAT ^L	L	Ø
20.9210.812.Z	Zinc Plated	125	12










► Model 1010 Display Stand

CODE
30.1010.111.A




Model 1010 Glass Balustrade System Assembly Instructions - Base Fix

INFO





Glass-tec - Side Fix Base




► Model 1110 Side Fix Base Channel

CODE	MAT ^L	L
30.1110.000.A	Aluminium	2500
30.1110.500.A	Aluminium	5000




► Model 5600 Rubber Set

CODE	L	G
40.5600.013.R	2500	12.76 - 13.52
40.5600.015.R	2500	15
40.5600.017.R	2500	16.76 - 17.52
40.5600.019.R	2500	19
40.5600.021.R	2500	20.76 - 21.52




► Model 1120 Internal Corner

CODE	MAT ^L
30.1120.000.A	Aluminium




► Model 1130 External Corner

CODE	MAT ^L
30.1130.000.A	Aluminium



► Model 1140 End Cap - Left

CODE	MAT ^L
30.1140.000.A	Aluminium




► Model 1146 End Cap - Right

CODE	MAT ^L
30.1146.000.A	Aluminium




Glass-tec - Side Fix Base




► Model 1150 Cladding

CODE	MAT ^L	L
30.1150.000.A	Aluminium	2500
30.1150.500.A	Aluminium	5000



► Model 1160 Plastic Plug

CODE	MAT ^L
40.1160.000.P	Aluminium



► Model 9210 Mounting Kit (25 N°)

CODE	MAT ^L	L	Ø
20.9210.812.Z	Zinc Plated	125	12



► Model 1110 Display Stand

CODE
30.1110.111.A

F ACCESSORIES



PAGE 80

Glass Cleaner
500 ml
10.9025.000.A











Model 1110 Glass Balustrade System


Assembly Instructions - Side Fix with Plugs

A


INFO




1 No. Model 1110



2500mm 1 No. Model 5600
5000mm 2 No. Model 5600



2500mm 10 No. Model 1160
5000mm 20 No. Model 1160






Model 1110 Glass Balustrade System

Assembly Instructions - Side Fix with Cladding

B




E INFO




1 No. Model 1110

**2500mm 1 No. Model 5600
5000mm 2 No. Model 5600**

1 No. Model 1150






► Model 2010 Side Fix Base Channel

CODE	MAT ^L	L
30.2010.000.A	Aluminium	2500




► Model 5500 Rubber Set

CODE	L	U	G
40.5500.013.R	2500	24	12.76 - 13.52
40.5500.015.R	2500	24	15
40.5500.017.R	2500	24	16.76 - 17.52
40.5500.019.R	2500	24	19
40.5500.021.R	2500	24	20.76 - 21.52




► Model 2020 Securing Flat

CODE	MAT ^L	L
30.2020.000.A	Aluminium	2500




► Model 2030 Cover Plate

CODE	MAT ^L
30.2030.000.A	Aluminium



► Model 2040 Screed Fixing Bracket

CODE	MAT ^L
30.2040.000.G	MS-Galv




► Model 9210 Mounting Kit (25 No)

CODE	MAT ^L	L	Ø
20.9210.812.Z	Zinc Plated	125	12





Glass-tec - Side Fix Base




► Model 2050 External Corner

CODE	MAT ^L
30.2050.000.A	Aluminium




► Model 2060 Internal Corner

CODE	MAT ^L
30.2060.000.A	Aluminium



► Model 2070 End Cap - Left

CODE	MAT ^L
30.2070.000.A	Aluminium



► Model 2080 End Cap - Right

CODE	MAT ^L
30.2080.000.A	Aluminium



► Model 2010 Display Stand

CODE
30.2010.111.A

F ACCESSORIES



PAGE 80









Glass Cleaner
500 ml
10.9025.000.A




Model 2010 Glass Balustrade System Assembly Instructions - Side Fix

A


INFO




1 No. 30.2010.000.A




1 No. 30.2030.000.A



1 No. Model 5500



1 No. 30.2020.000.A














Model 2010 Glass Balustrade System Assembly Instructions - Side Fix with Screed

B


INFO




1 No. 30.2010.000.A




1 No. 30.2030.000.A




1 No. Model 5500



x No. 30.2040.000.G






► 304 Model 7000/7100

CODE	L	Ø	T	U
34.7000.420.S	5000	42.4	24	24
34.7000.480.S	5000	48.3	30	27
34.7000.600.S	5000	60.3	34	34
34.7100.420.S	2500	42.4	24	24
34.7100.480.S	2500	48.3	30	27
34.7100.600.S	2500	60.3	34	34

► 316 Model 7000/7100

CODE	L	Ø	T	U
36.7000.420.S	5000	42.4	24	24
36.7000.480.S	5000	48.3	30	27
36.7100.420.S	2500	42.4	24	24
36.7100.480.S	2500	48.3	30	27




► 304 Model 7070

CODE	Ø
34.7070.420.S	42.4
34.7070.480.S	48.3
34.7070.600.S	60.3

► 316's' Model 7070

CODE	Ø
36.7070.420.S	42.4
36.7070.480.S	48.3



► Model 7042 - 42.4mm

CODE	L	U	G
40.7042.010.R	5000	24	8 - 11
40.7042.012.R	5000	24	11.5 - 14.5
40.7042.015.R	5000	24	15 - 17
40.7042.019.R	5000	24	17.5 - 19
40.7142.010.R	2500	24	8 - 11
40.7142.012.R	2500	24	11.5 - 14.5
40.7142.015.R	2500	24	15 - 17
40.7142.019.R	2500	24	17.5 - 19



► Model 7048 - 48.3mm


CODE	L	U	G
40.7048.012.R	5000	27	12 - 14.5
40.7048.015.R	5000	27	15 - 17.5
40.7048.019.R	5000	27	18 - 19.5
40.7048.020.R	5000	27	20 - 21.5
40.7148.012.R	2500	27	12 - 14.5
40.7148.015.R	2500	27	15 - 17.5
40.7148.019.R	2500	27	18 - 19.5
40.7148.020.R	2500	27	20 - 21.5

► Model 7060 - 60.3mm

CODE	L	U	G
40.7060.015.R	5000	34	15 - 18
40.7060.019.R	5000	34	18.5 - 21.5
40.7060.025.R	5000	34	22 - 25
40.7160.015.R	2500	34	15 - 18
40.7160.019.R	2500	34	18.5 - 21.5
40.7160.025.R	2500	34	22 - 25

INFO






► **304 Model 7010**

CODE	L	Ø
34.7010.420.S	30	42.4
34.7010.480.S	35	48.3
34.7010.600.S	40	60.3

► **316's' Model 7010**

CODE	L	Ø
36.7010.420.S	30	42.4
36.7010.480.S	35	48.3




► **304 Model 7020**

CODE	L	Ø
34.7020.420.S	30	42.4
34.7020.480.S	35	48.3
34.7020.600.S	40	60.3

► **316's' Model 7020**

CODE	L	Ø
36.7020.420.S	30	42.4
36.7020.480.S	35	48.3




► **304 Model 7030**

CODE	L	Ø
34.7030.420.S	30	42.4
34.7030.480.S	35	48.3

► **316's' Model 7030**

CODE	L	Ø
36.7030.420.S	30	42.4
36.7030.480.S	35	48.3




► **304 Model 7040**

CODE	L	Ø
34.7040.420.S	30	42.4
34.7040.480.S	35	48.3

► **316's' Model 7040**

CODE	L	Ø
36.7040.420.S	30	42.4
36.7040.480.S	35	48.3




► **304 Model 7050**

CODE	Ø
34.7050.420.S	42.4
34.7050.480.S	48.3
34.7050.600.S	60.3

► **316's' Model 7050**

CODE	Ø
36.7050.420.S	42.4
36.7050.480.S	48.3




► **304 Model 7060**

CODE	D	L	Ø
34.7060.420.S	90	30	42.4
34.7060.480.S	95	35	48.3


► **316's' Model 7060**

CODE	D	L	Ø
36.7060.420.S	90	30	42.4
36.7060.480.S	95	35	48.3




► 304 Model 7000/7100

CODE	L
34.7000.604.S	5000
34.7100.604.S	2500




► Model 7042 - 42.4mm

CODE	L	U	G
40.7042.010.R	5000	24	8 - 11
40.7042.012.R	5000	24	11.5 - 14.5
40.7042.015.R	5000	24	15 - 17
40.7042.019.R	5000	24	17.5 - 19
40.7142.010.R	2500	24	8 - 11
40.7142.012.R	2500	24	11.5 - 14.5
40.7142.015.R	2500	24	15 - 17
40.7142.019.R	2500	24	17.5 - 19




► 304 Model 7020

CODE
34.7020.604.S




► 304 Model 7050

CODE
34.7050.604.S



► 304 Model 7060

CODE
34.7060.604.S



► 304 Model 7070

CODE
34.7070.604.S

F ACCESSORIES




PAGE 80

Glass Cleaner
500 ml
10.9025.000.A



Glass-tec - Handrail/Fittings - Mirror Polished




► 304 Model 7000

CODE	L	Ø	T	U
34.7000.420.M	5000	42.4	24	24
34.7000.480.M	5000	48.3	30	27

► 316 Model 7000

CODE	L	Ø	T	U
36.7000.420.M	5000	42.4	24	24
36.7000.480.M	5000	48.3	30	27




► 304 Model 7070

CODE	Ø
34.7070.420.M	42.4
34.7070.480.M	48.3

► 316's' Model 7070

CODE	Ø
36.7070.420.M	42.4
36.7070.480.M	48.3






► Model 7042 - 42.4mm


CODE	L	U	G
40.7042.010.R	5000	24	8 - 11
40.7042.012.R	5000	24	11.5 - 14.5
40.7042.015.R	5000	24	15 - 17
40.7042.019.R	5000	24	17.5 - 19
40.7142.010.R	2500	24	8 - 11
40.7142.012.R	2500	24	11.5 - 14.5
40.7142.015.R	2500	24	15 - 17
40.7142.019.R	2500	24	17.5 - 19

► Model 7048 - 48.3mm

CODE	L	U	G
40.7048.012.R	5000	27	12 - 14.5
40.7048.015.R	5000	27	15 - 17.5
40.7048.019.R	5000	27	18 - 19.5
40.7048.020.R	5000	27	20 - 21.5
40.7148.012.R	2500	27	12 - 14.5
40.7148.015.R	2500	27	15 - 17.5
40.7148.019.R	2500	27	18 - 19.5
40.7148.020.R	2500	27	20 - 21.5

E INFO






► **304 Model 7010**

CODE	L	Ø
34.7010.420.M	30	42.4
34.7010.480.M	35	48.3

► **316's' Model 7010**

CODE	L	Ø
36.7010.420.M	30	42.4
36.7010.480.M	35	48.3




► **304 Model 7020**

CODE	L	Ø
34.7020.420.M	30	42.4
34.7020.480.M	35	48.3

► **316's' Model 7020**

CODE	L	Ø
36.7020.420.M	30	42.4
36.7020.480.M	35	48.3




► **304 Model 7030**

CODE	L	Ø
34.7030.420.M	30	42.4
34.7030.480.M	35	48.3

► **316's' Model 7030**

CODE	L	Ø
36.7030.420.M	30	42.4
36.7030.480.M	35	48.3




► **304 Model 7040**

CODE	L	Ø
34.7040.420.M	30	42.4
34.7040.480.M	35	48.3

► **316's' Model 7040**

CODE	L	Ø
36.7040.420.M	30	42.4
36.7040.480.M	35	48.3




► **304 Model 7050**

CODE	Ø
34.7050.420.M	42.4
34.7050.480.M	48.3

► **316's' Model 7050**

CODE	Ø
36.7050.420.M	42.4
36.7050.480.M	48.3



► **304 Model 7060**

CODE	D	L	Ø
34.7060.420.M	90	30	42.4
34.7060.480.M	95	35	48.3

► **316's' Model 7060**

CODE	D	L	Ø
36.7060.420.M	90	30	42.4
36.7060.480.M	95	35	48.3



ACCESSORIES

Accessories



►Model 9010 Glue

CODE	
10.9010.000.A	50 ml



►Model 9030 Stain Remover

CODE	
10.9030.000.A	500 ml



►Model 9020 Stainless Steel Cleaner

CODE	
10.9020.000.A	500 ml



►Model 9025 Glass Cleaner

CODE	
10.9025.000.A	500 ml



►Model 9040 Stainless Steel & Glass Cleaner Kit

CODE	
10.9027.000.A	500 ml




►Model 9200 'C' Spanner

CODE	Ø
10.9200.025.T	25-28
10.9200.030.T	30-32
10.9200.045.T	45-50
10.9200.058.T	58-62



►Model 9300 Allen Key Set

CODE	Ø
10.9300.000.T	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0



► 304 Model 9100 Socket Headed Cap Screw (20 No.)


CODE	Ø	D	H	L	BOLT
34.9100.820.R	13	M8	8	20	FF-45
34.9100.835.R	13	M8	8	35	FF-29

► 316 Model 9100

CODE	Ø	D	H	L	BOLT
36.9100.820.R	13	M8	8	20	FF-46
36.9100.835.R	13	M8	8	35	FF-30

► ZINC PLATED Model 9100

CODE	Ø	D	H	L	BOLT
20.9100.820.Z	13	M8	8	20	FF-47



► 304 Model 9101 Adjustable Socket Headed Cap Screw (20 No.)


CODE	Ø	D	H	L
34.9101.820.R	13	M8	8	20

► 316 Model 9101

CODE	Ø	D	H	L
36.9101.820.R	13	M8	8	20

► ZINC PLATED Model 9101

CODE	Ø	D	H	L
20.9101.820.Z	13	M8	8	20




► 304 Model 9110 Counter Sunk Screw (20 No.)

CODE	D	L	BOLT
34.9110.516.R	M5	16	FF-12
34.9110.616.R	M6	16	FF-48
34.9110.620.R	M6	20	FF-15
34.9110.820.R	M8	25	FF-19
34.9110.840.R	M8	40	FF-21

► 316 Model 9110

CODE	D	L	BOLT
36.9110.516.R	M5	16	FF-13
36.9110.616.R	M6	16	FF-49
36.9110.620.R	M6	20	FF-16
36.9110.820.R	M8	25	FF-20
36.9110.840.R	M8	40	FF-22




► 304 Model 9120 Button Head Screw (20 No.)

CODE	D	L	BOLT
34.9120.512.R	M5	12	FF-10

► 316 Model 9120

CODE	D	L	BOLT
36.9120.512.R	M5	12	FF-11




► **304 Model 9160 Dual Thread Screw (20 No.)**

CODE	D	L
34.9160.850.R	M8	50

► **316 Model 9160**

CODE	D	L
36.9160.850.R	M8	50




► **304 Model 9165 Coach Bolt (20 No.)**

CODE	D	L
34.9165.855.R	M8	55

► **316 Model 9165**

CODE	D	L
36.9165.855.R	M8	55



► **304 Model 9170 Screw (20 No.)**

CODE	L	BOLT
34.9170.440.R	40	FF-6

► **316 Model 9170**

CODE	L	BOLT
36.9170.440.R	40	




The complete solution FREE FIXINGS

We listened to your needs and have responded by providing all the fixings you need to assemble your Fastec Handrail System.

All the bolts and screws for each fitting will be supplied with your order to allow you to concentrate on assembling and building your system together saving you both time and money.

Please refer to the individual fittings for information and details on the bolts and screws supplied.

Whilst we supply the bolts and screws for fastening the system together we do not supply the fasteners to secure the fittings to floors and walls, if you are unsure which fittings are supplied please refer to the information stated on each fitting.



Look out for the
FREE FIXINGS
offer. Please call
for further details.

Base

MOD: 1100 ☐

MOD: 1110 ☐





MOD: 1120 ☐
Specials form
 $\varnothing$ 42,4 x 2,0 mm ☐
 $\varnothing$ 42,4 x 2,6 mm ☐
 $\varnothing$ 48,3 x 2,0 mm ☐
 $\varnothing$ 48,3 x 2,6 mm ☐
Grade

304 ☐

316 ☐

See page 29 & 30

Type
Quantity

Type	Glass clamps	Glass clamp	Glass thickness	Quantity
 L=980 mm ☐ L=1060 mm ☐ or L: _____ mm L1: _____ mm L2: _____ mm	MOD: 30 ☐ MOD: 31 ☐ MOD: 32 ☐ MOD: 33 ☐ MOD: 34 ☐ MOD: 35 ☐ MOD: 38 ☐	8 mm ☐ 8,76 mm ☐ 10 mm ☐ 10,76 mm ☐ 11.52 mm ☐ 12 mm ☐ 15 mm ☐		
				
				
				
 L=980 mm ☐ L=1060 mm ☐ or L: _____ mm L1: _____ mm L2: _____ mm L3: _____ mm L4: _____ mm	MOD: 30 ☐ MOD: 31 ☐ MOD: 32 ☐ MOD: 33 ☐ MOD: 34 ☐ MOD: 35 ☐ MOD: 38 ☐	8 mm ☐ 8,76 mm ☐ 10 mm ☐ 10,76 mm ☐ 11.52 mm ☐ 12 mm ☐ 15 mm ☐		
				
				
				
 L=980 mm ☐ L=1060 mm ☐ or L: _____ mm L1: _____ mm L2: _____ mm	☐ Holes per post 12 mm Infill bar ☐ 16 mm Infill bar ☐			
				
				
				
 L=980 mm ☐ L=1060 mm ☐ or L: _____ mm L1: _____ mm L2: _____ mm	☐ Eye bolts per post 3,2 mm Wire ☐ 6,0 mm Wire ☐			
				
				
				

Sender

Name: _____

Tel: _____

Fax: _____

Email: _____

Company: _____

Street: _____

Town: _____

Postcode: _____

Base

MOD: 1000 ☐
MOD: 1010 ☐
MOD: 1020 ☐
MOD: 1030 ☐

Specials form
F









Ø 42,4 x 2,0 mm ☐
Ø 42,4 x 2,6 mm ☐
Ø 48,3 x 2,0 mm ☐
Ø 48,3 x 2,6 mm ☐

Grade

304 ☐
316 ☐

See page 28

Type
Quantity

Type	Quantity
 Glass clamps Glass clamp Glass thickness MOD: 30 ☐ 8 mm ☐ MOD: 31 ☐ 8,76 mm ☐ MOD: 32 ☐ 10 mm ☐ MOD: 33 ☐ 10,76 mm ☐ MOD: 34 ☐ 11,52 mm ☐ MOD: 35 ☐ 12 mm ☐ MOD: 38 ☐ 15 mm ☐ L: _____ mm L1: _____ mm L2: _____ mm	 R= _____ °
 Glass clamps L = 980 mm ☐ L = 1060 mm ☐ or L: _____ mm L1: _____ mm L2: _____ mm L3: _____ mm L4: _____ mm Glass clamp Glass thickness MOD: 30 ☐ 8 mm ☐ MOD: 31 ☐ 8,76 mm ☐ MOD: 32 ☐ 10 mm ☐ MOD: 33 ☐ 10,76 mm ☐ MOD: 34 ☐ 11,52 mm ☐ MOD: 35 ☐ 12 mm ☐ MOD: 38 ☐ 15 mm ☐	 R= _____ °
 Crossbar holders ☐ Holes per post L: _____ mm L1: _____ mm L2: _____ mm 12 mm Infill bar ☐ 16 mm Infill bar ☐	 R= _____ °
 Wire-tec cable system ☐ Eye bolts per post L: _____ mm L1: _____ mm L2: _____ mm 3,2 mm Wire ☐ 6,0 mm Wire ☐	 R= _____ °

Sender

Name: _____
Tel: _____
Fax: _____
Email: _____





Company: _____
Street: _____
Town: _____
Postcode: _____

Ø 42,4 x 2,6 mm ☐
 Ø 48,3 x 2,6 mm ☐

304 ☐
 316 ☐

Type

Quantity

Type	Quantity
Glass clamps Glass clamp Glass thickness  L=980 mm ☐ L=1060 mm ☐ or L: _____ mm L1: _____ mm L2: _____ mm MOD: 30 ☐ 8 mm ☐ MOD: 31 ☐ 8,76 mm ☐ MOD: 32 ☐ 10 mm ☐ MOD: 33 ☐ 10,76 mm ☐ MOD: 34 ☐ 11.52 mm ☐ MOD: 35 ☐ 12 mm ☐ MOD: 38 ☐ 15 mm ☐	   
Glass clamps Glass clamp Glass thickness  L=980 mm ☐ L=1060 mm ☐ or L: _____ mm L1: _____ mm L2: _____ mm L3: _____ mm L4: _____ mm MOD: 30 ☐ 8 mm ☐ MOD: 31 ☐ 8,76 mm ☐ MOD: 32 ☐ 10 mm ☐ MOD: 33 ☐ 10,76 mm ☐ MOD: 34 ☐ 11.52 mm ☐ MOD: 35 ☐ 12 mm ☐ MOD: 38 ☐ 15 mm ☐	   
Crossbar holders ☐ Holes per post  L=980 mm ☐ L=1060 mm ☐ or L: _____ mm L1: _____ mm L2: _____ mm 12 mm Infill bar ☐ 16 mm Infill bar ☐	 
Wire-tec cable system ☐ Eye bolts per post  L=980 mm ☐ L=1060 mm ☐ or L: _____ mm L1: _____ mm L2: _____ mm 3,2 mm Wire ☐ 6,0 mm Wire ☐	  

Sender

Name: _____
 Tel: _____
 Fax: _____
 Email: _____

Company: _____
 Street: _____
 Town: _____
 Postcode: _____



SAFETY TESTING

safety first

Has your balustrade been tested to **BS 6399-1: 1996** 'Loadings for buildings'?

Fastec has established the needs of our customers and has recognised that most handrail systems on the market today have not been tested to ensure they meet British Standard side loading criteria.

the **fastec** response

For your absolute peace of mind, and to create confidence in your installation for you and your customer we have commissioned extensive testing by independent engineers to establish exactly which design, tube size and thickness, upright centres and fittings will be safest for your installation.

The test results show actual 'as installed' results. Please see the following tables for guidance


BS 6399-1: 1996
Full test report and
Test Certificates available
to download from
www.fastechandrails.co.uk





test results

System 1 - Side Mounted Balustrade Testing in accordance with BS 6399: PART 1:1996




SYSTEM 1 – 42.4mm DIAMETER TUBE		
		Fastec Code
S/S Baluster Tube Diameter (mm)	42.4x2.6	34.1900.426.S
S/S Hand Rail Diameter (mm)	42.4x2.0	34.1900.422.S
Handrail Height (mm)	1100	
Baluster Post Spacing (mm)	1300	
Mounting Type	Side Bracket	34.1010.420.S
No. of Fixing Bolts Per Post	2	M12
Handrail Connection	Stem	34.0110.426.S
Infill Type	Glass Panel	10mm
Glass Clamps	4 Per Panel	34.3210.420.S
DEFLECTION BEYOND ALLOWABLE LIMIT OCCURRED AT A LOAD OF 1.9KN/m		

BS 6399: PART 1:1996		
LOAD (KN/m)	CATEGORY	PASSED
0.22	B&E (iii)	✓
0.36	A (i), B&E (iv)	✓
0.74	A (ii), B&E (v), C3 (viii), (ix)	✓
1.5	C (vi), C1/C2 (vii), C5 (x), D (xii), F/G (xiv), F/G (xv)	✓
3.0	C5 (x), (xi)	X

SYSTEM 1 – 48.3mm DIAMETER TUBE		
		Fastec Code
S/S Baluster Tube Diameter (mm)	48.3x2.6	34.1900.486.S
S/S Hand Rail Diameter (mm)	48.3x2.0	34.1900.242.S
Handrail Height (mm)	1100	
Baluster Post Spacing (mm)	1300	
Mounting Type	Side Bracket	34.1010.480.S
No. of Fixing Bolts Per Post	2	M12
Handrail Connection	Stem	34.0111.486.S
Infill Type	Glass Panel	10mm
Glass Clamps	4 Per Panel	34.3210.480.S
DEFLECTION BEYOND ALLOWABLE LIMIT OCCURRED AT A LOAD OF 2.0KN/m		

System 2, 3, 4 - Surface Mounted Balustrade Testing in accordance with BS 6399: PART 1:1996



SYSTEM 2 – 42.4mm DIAMETER TUBE		
		Fastec Code
S/S Baluster Tube Diameter (mm)	42.4x2.6	34.1900.426.S
S/S Hand Rail Diameter (mm)	42.4x2.0	34.1900.422.S
Handrail Height (mm)	1100	
Baluster Post Spacing (mm)	1300	
Mounting Type	Flange Base	34.1100.420.R
No. of Fixing Bolts Per Post	3	M10
Handrail Connection	Stem	34.0110.426.S
Infill Type	Glass Panel	10mm
Glass Clamps	4 Per Panel	34.3210.420.S
DEFLECTION BEYOND ALLOWABLE LIMIT OCCURRED AT A LOAD OF 2.25KN/m		

SYSTEM 3 – 42.4mm DIAMETER TUBE		
		Fastec Code
S/S Baluster Tube Diameter (mm)	42.4x2.6	13.1900.426.S
S/S Hand Rail Diameter (mm)	42.4x2.0	13.1900.422.S
Handrail Height (mm)	1100	
Baluster Post Spacing (mm)	1300	
Mounting Type	Flange Base	34.1100.420.R
No. of Fixing Bolts Per Post	2	M10
Handrail Connection	Stem	34.0110.426.S
Infill Type	Glass Panel	10mm
Glass Clamps	4 Per Panel	34.3210.420.S
DEFLECTION BEYOND ALLOWABLE LIMIT OCCURRED AT A LOAD OF 1.9KN/m		

SYSTEM 4 – 42.4mm DIAMETER TUBE		
		Fastec Code
S/S Baluster Tube Diameter (mm)	42.4x2.6	34.1900.426.S
S/S Hand Rail Diameter (mm)	42.4x2.0	34.1900.422.S
Handrail Height (mm)	1100	
Baluster Post Spacing (mm)	1300	
Mounting Type	Flange Base	34.1120.420.R
No. of Fixing Bolts Per Post	2	M10
Handrail Connection	Stem	34.0110.426.S
Infill Type	Glass Panel	10mm
Glass Clamps	4 Per Panel	34.3210.420.S
DEFLECTION BEYOND ALLOWABLE LIMIT OCCURRED AT A LOAD OF 2.05KN/m		


BS 6399: PART 1:1996		
LOAD (KN/m)	CATEGORY	PASSED
0.22	B&E (iii)	✓
0.36	A (i), B&E (iv)	✓
0.74	A (ii), B&E (v), C3 (viii), (ix)	✓
1.5	C (vi), C1/C2 (vii), C5 (x), D (xii), F/G (xiv), F/G (xv)	✓
3.0	C5 (x), (xi)	X

SYSTEM 2 – 48.3mm DIAMETER TUBE		
		Fastec Code
S/S Baluster Tube Diameter (mm)	48.3x2.6	34.1900.486.S
S/S Hand Rail Diameter (mm)	48.3x2.0	34.1900.482.S
Handrail Height (mm)	1100	
Baluster Post Spacing (mm)	1300	
Mounting Type	Flange Base	34.1100.480.R
No. of Fixing Bolts Per Post	3	M10
Handrail Connection	Stem	34.0111.486.S
Infill Type	Glass Panel	10mm
Glass Clamps	4 Per Panel	34.3210.480.S
DEFLECTION BEYOND ALLOWABLE LIMIT OCCURRED AT A LOAD OF 2.4KN/m		

SYSTEM 3 – 48.3mm DIAMETER TUBE		
		Fastec Code
S/S Baluster Tube Diameter (mm)	48.3x2.6	13.1900.486.S
S/S Hand Rail Diameter (mm)	48.3x2.0	13.1900.482.S
Handrail Height (mm)	1100	
Baluster Post Spacing (mm)	1300	
Mounting Type	Flange Base	34.1100.480.R
No. of Fixing Bolts Per Post	2	M10
Handrail Connection	Stem	34.0111.486.S
Infill Type	Glass Panel	10mm
Glass Clamps	4 Per Panel	34.3210.480.S
DEFLECTION BEYOND ALLOWABLE LIMIT OCCURRED AT A LOAD OF 2.2KN/m		

SYSTEM 4 – 48.3mm DIAMETER TUBE		
		Fastec Code
S/S Baluster Tube Diameter (mm)	48.3x2.6	34.1900.486.S
S/S Hand Rail Diameter (mm)	48.3x2.0	34.1900.482.S
Handrail Height (mm)	1100	
Baluster Post Spacing (mm)	1300	
Mounting Type	Flange Base	34.1120.480.R
No. of Fixing Bolts Per Post	2	M10
Handrail Connection	Stem	34.0111.486.S
Infill Type	Glass Panel	10mm
Glass Clamps	4 Per Panel	34.3210.480.S
DEFLECTION BEYOND ALLOWABLE LIMIT OCCURRED AT A LOAD OF 2.3KN/m		

System 5 - Surface Mounted Balustrade Testing in accordance with BS 6399: PART 1:1996



BS 6399: PART 1:1996

LOAD (KN/m)	CATEGORY	PASSED
0.22	B&E (iii)	✓
0.36	A (i), B&E (iv)	✓
0.74	A (ii), B&E (v), C3 (viii), (ix)	✓
1.5	C (vi), C1/C2 (vii), C5 (x), D (xiii), F/G (xiv), F/G (xv)	✓
3.0	C5 (x), (XI)	X


SYSTEM 5 – 42.4mm DIAMETER TUBE

		Fastec Code
S/S Baluster Tube Diameter (mm)	42.4x2.6	341900.426.S
S/S Hand Rail Diameter (mm)	42.4x2.0	341900.422.S
Handrail Height (mm)	1100	
Baluster Post Spacing (mm)	1300	
Mounting Type	Flange Base	341100.420.R
No. of Fixing Bolts Per Post	3	M10
Handrail Connection	Connector	34.0731.426.S
Infill Type	Glass Panel	10mm
Glass Clamps	4 Per Panel	34.3210.420.S
DEFLECTION BEYOND ALLOWABLE LIMIT OCCURRED AT A LOAD OF 2.0KN/m		

SYSTEM 5 – 48.3mm DIAMETER TUBE

		Fastec Code
S/S Baluster Tube Diameter (mm)	48.3x2.6	341900.486.S
S/S Hand Rail Diameter (mm)	48.3x2.0	341900.482.S
Handrail Height (mm)	1100	
Baluster Post Spacing (mm)	1300	
Mounting Type	Flange Base	341100.480.R
No. of Fixing Bolts Per Post	3	M10
Handrail Connection	Clued Connector	34.0731.486.S
Infill Type	Glass Panel	10mm
Glass Clamps	4 Per Panel	34.3210.480.S
DEFLECTION BEYOND ALLOWABLE LIMIT OCCURRED AT A LOAD OF 2.25KN/m		

System 6 - Surface Mounted Balustrade Testing in accordance with BS 6399: PART 1:1996



BS 6399: PART 1:1996

LOAD (KN/m)	CATEGORY	PASSED
0.22	B&E (iii)	✓
0.36	A (i), B&E (iv)	✓
0.74	A (ii), B&E (v), C3 (viii), (ix)	✓
1.5	C (vi), C1/C2 (vii), C5 (x), D (xiii), F/G (xiv), F/G (xv)	✓
3.0	C5 (x), (XI)	X


SYSTEM 6 – 42.4mm DIAMETER TUBE

		Fastec Code
S/S Baluster Tube Diameter (mm)	42.4x2.6	341900.426.S
S/S Hand Rail Diameter (mm)	42.4x2.0	341900.422.S
Handrail Height (mm)	1100	
Baluster Post Spacing (mm)	1300	
Mounting Type	Flange Base	341100.420.R
No. of Fixing Bolts Per Post	3	M10
Handrail Connection	Stem	34.0110.426.S
Infill Type	12mm Bars	341900.012.S
Cross Bar Holders	9 Per Post	34.3312.420.S
DEFLECTION BEYOND ALLOWABLE LIMIT OCCURRED AT A LOAD OF 2.25KN/m		

SYSTEM 6 – 48.3mm DIAMETER TUBE

		Fastec Code
S/S Baluster Tube Diameter (mm)	48.3x2.6	341900.486.S
S/S Hand Rail Diameter (mm)	48.3x2.0	341900.482.S
Handrail Height (mm)	1100	
Baluster Post Spacing (mm)	1300	
Mounting Type	Flange Base	341100.480.R
No. of Fixing Bolts Per Post	3	M10
Handrail Connection	Stem	34.0111.486.S
Infill Type	12mm Bars	341900.012.S
Cross Bar Holders	9 Per Post	34.3312.480.S
DEFLECTION BEYOND ALLOWABLE LIMIT OCCURRED AT A LOAD OF 2.2KN/m		

System 7 - Clamp Fix Balustrade Testing in accordance with BS 6399: PART 1:1996



BS 6399: PART 1:1996

LOAD (KN/m)	CATEGORY	PASSED
0.22	B&E (iii)	✓
0.36	A (i), B&E (iv)	✓
0.74	A (ii), B&E (v), C3 (viii), (ix)	✓
1.5	C (vi), C1/C2 (vii), C5 (x), D (xiii), F/G (xiv), F/G (xv)	X/✓
3.0	C5 (x), (XI)	X

SYSTEM 7 – 42.4mm DIAMETER TUBE

		Fastec Code
S/S Baluster Tube Diameter (mm)	42.4x2.6	341900.426.S
S/S Hand Rail Diameter (mm)	42.4x2.0	341900.422.S
Handrail Height (mm)	1100	
Baluster Post Spacing (mm)	1300	
Mounting Type	Clamp Fix	341310.420.S
No. of Fixing Bolts Per Post	1	M12
Handrail Connection	Stem	34.0110.426.S
Infill Type	Glass Panel	10mm
Glass Clamps	4 Per Panel	34.3210.420.S
DEFLECTION BEYOND ALLOWABLE LIMIT OCCURRED AT A LOAD OF 1.4KN/m		

SYSTEM 7 – 48.3mm DIAMETER TUBE

		Fastec Code
S/S Baluster Tube Diameter (mm)	48.3x2.6	341900.486.S
S/S Hand Rail Diameter (mm)	48.3x2.0	341900.482.S
Handrail Height (mm)	1100	
Baluster Post Spacing (mm)	1300	
Mounting Type	Clamp Fix	341310.480.S
No. of Fixing Bolts Per Post	1	M12
Handrail Connection	Stem	34.0111.486.S
Infill Type	Glass Panel	10mm
Glass Clamps	4 Per Panel	34.3210.480.S
DEFLECTION BEYOND ALLOWABLE LIMIT OCCURRED AT A LOAD OF 1.55KN/m		





CARE AND MAINTENANCE

care and maintenance

To gain the maximum benefits from the Fastec range, the correct care and maintenance procedures should be followed during and after installation.

To achieve maximum corrosion resistance and appearance, the surface of the stainless steel must be kept clean; this is extremely important when used in an external environment.

It is necessary to clean your installation immediately after fitting is complete using Fastec Stain Remover. Following this, periodical cleaning with Fastec Stainless Steel Cleaner will help form a protective barrier against the atmosphere.

Installations in an external environment will require a cleaning schedule to be followed, this is a periodic cleaning off approximately every 3-6/6-12 months thereafter.

For installations in **aggressive environments**, for example coastal regions and swimming pools, you will need to take particular care with cleaning and maintenance to inhibit corrosion. The cleaning schedules relating to these types of areas are much more frequent than standard external installations. In addition, we strongly recommend that only mirror polished items are installed in such environments due to their higher corrosion resistant finish.

cleaning methods

To assist with care and maintenance we provide Fastec Stainless Steel Cleaner and Fastec Stain Remover.

Fastec Stainless Steel Cleaner is a general purpose stainless steel cleansing spray. It can be used in conjunction with Fastec Stain Remover or as a cleaning product in its own right to clean and shine stainless steel.

Fastec Stain Remover is an acid based cleaner which temporarily strips the stainless steel of its passive layer so any contaminants can be removed. It should then be washed off with water which neutralises the acid and causes the passive layer to regenerate on the surface of the stainless steel. This surface should be periodically protected with Fastec Stainless Steel Cleaner.

Hints and tips

Always clean your installation once it has been completed. This is necessary to remove any contaminants on the surface of the material to prevent future problems and leaves a finished look behind for your customer.

For outstanding results, use Fastec Stainless Steel Cleaner for internal installations and Fastec Stain Remover followed by Fastec Stainless Steel Cleaner for external applications.

Always use a lint-free cloth, never use an abrasive cleaner or cloth.

It is important to remember that masonry and brick cleaners contain acid, so protect any stainless steel surfaces during their use. Any splashes should be washed off straight away with water.



► **Further information on cleaning schedules and maintenance can be found on our website.**

index

Fittings

MOD: 0100	Stem Connector	Page 12
MOD: 0105	Stem Connector - Adjustable	Page 12
MOD: 0110	Stem Connector	Page 12
MOD: 0111	Stem Connector	Page 12
MOD: 0115	Stem Connector - Adjustable	Page 12
MOD: 0116	Stem Connector	Page 12
MOD: 0120	Stem Connector - 135°	Page 13
MOD: 0121	Stem Connector - 135°	Page 13
MOD: 0130	Stem Connector - 90°	Page 13
MOD: 0131	Stem Connector - 90°	Page 13
MOD: 0200	Stem Connector	Page 14
MOD: 0205	Stem Connector - Adjustable	Page 14
MOD: 0210	Stem Connector - 135°	Page 14
MOD: 0220	Stem Connector - 90°	Page 14
MOD: 0300	Handrail Saddle	Page 15
MOD: 0310	Stem	Page 15
MOD: 0315	Stem - Adjustable	Page 15
MOD: 0400	Handrail Bracket - Post Fix	Page 16
MOD: 0405	Handrail Bracket - Post Fix	Page 16
MOD: 0410	Handrail Bracket - Post Fix	Page 17
MOD: 0415	Handrail Bracket - Post Fix	Page 17
MOD: 0420	Handrail Bracket - Post Fix	Page 17
MOD: 0425	Handrail Bracket - Post Fix	Page 17
MOD: 0426	Handrail Bracket - Post Fix	Page 17
MOD: 0430	Handrail Bracket - Wall Fix	Page 18
MOD: 0435	Handrail Bracket - Wall Fix	Page 18
MOD: 0440	Handrail Bracket - Glass Fix	Page 19
MOD: 0445	Handrail Bracket - Glass Fix	Page 19
MOD: 0510	Handrail Bracket - Wall Fix	Page 20
MOD: 0511	Handrail Bracket - Wall Fix	Page 20
MOD: 0520	Handrail Bracket - Wall Fix	Page 20
MOD: 0521	Handrail Bracket - Wall Fix	Page 20
MOD: 0530	Handrail Support	Page 21
MOD: 0540	Wall Rosette	Page 21
MOD: 0541	Stem Connector	Page 21
MOD: 0542	Rosette Cover	Page 21
MOD: 0600	Elbow	Page 22
MOD: 0610	Elbow	Page 22
MOD: 0620	Elbow	Page 22
MOD: 0630	Elbow	Page 22



Fittings (continued)

MOD: 0640	Elbow - Adjustable	Page 23
MOD: 0650	Elbow - Weldable	Page 23
MOD: 0660	Return End	Page 24
MOD: 0710	Tee Connector	Page 24
MOD: 0720	Connector	Page 24
MOD: 0730	Connector	Page 25
MOD: 0731	Connector	Page 25
MOD: 0740	Wall Flange	Page 25
MOD: 0750	End Ball	Page 25
MOD: 0760	Connector	Page 25
MOD: 0800	End Cap - Flat - Hit In	Page 26
MOD: 0801	End Cap - Flat - Hit In	Page 26
MOD: 0810	End Cap - Radiused - Hit In	Page 26
MOD: 0811	End Cap - Radiused - Hit In	Page 26
MOD: 0820	End Cap - Domed - Hit In	Page 27
MOD: 0850	End Cap - Flat	Page 27
MOD: 0860	End Cap - Radiused	Page 27
MOD: 0870	End Cap - Flat - Weldable	Page 27
MOD: 0871	End Cap - Radiused - Weldable	Page 27
MOD: 1000	Side Fix Bracket	Page 28
MOD: 1010	Side Fix Bracket	Page 28
MOD: 1020	Side Fix Bracket	Page 28
MOD: 1030	Side Fix Bracket	Page 28
MOD: 1040	Side Fix Bracket	Page 28
MOD: 1100	Welded Base	Page 29
MOD: 1101	Base Cover	Page 29
MOD: 1110	Welded Base	Page 30
MOD: 1111	Base Cover	Page 30
MOD: 1120	Welded Base	Page 30
MOD: 1121	Base Cover	Page 30
MOD: 1200	Welded Base	Page 31
MOD: 1210	Welded Base	Page 31
MOD: 1250	Welded Base	Page 31
MOD: 1280	Welded Base	Page 31
MOD: 1300	Welded Insert	Page 32
MOD: 1310	Inner Flange	Page 32
MOD: 1311	Inner Flange Washer	Page 32
MOD: 1320	Outer Flange	Page 32
MOD: 1321	Outer Flange Washer	Page 32
MOD: 1510	Baluster Post	Page 29
MOD: 1520	Baluster Post	Page 30
MOD: 1530	Baluster Post	Page 30
MOD: 1610	Baluster Post	Page 29
MOD: 1620	Baluster Post	Page 29
MOD: 1630	Baluster Post	Page 29
MOD: 1710	Baluster Post	Page 32
MOD: 2010	Crossbar Holder	Page 33
MOD: 2012	Crossbar Holder	Page 33
MOD: 2212	Crossbar Holder	Page 33, 34
MOD: 2312	Crossbar Holder	Page 33, 34
MOD: 2416	Crossbar Holder	Page 34
MOD: 2812	Inline Crossbar Holder	Page 34
MOD: 2912	Inline Crossbar Holder - Adjustable	Page 34

Tubes & Bars

MOD: 1900	Tubes & Bars	Page 36
MOD: 1910	Tubes & Bars	Page 36

Mirror Polished

MOD: 0110	Stem Connector	Page 38
MOD: 0115	Stem Connector - Adjustable	Page 38
MOD: 0130	Stem Connector - 90°	Page 38
MOD: 0440	Handrail Bracket - Glass Fix	Page 38
MOD: 0445	Handrail Bracket - Glass Fix	Page 38
MOD: 0521	Handrail Bracket - Wall Fix	Page 38
MOD: 0610	Elbow	Page 39
MOD: 0640	Elbow - Adjustable	Page 39
MOD: 0720	Connector	Page 39
MOD: 0731	Connector	Page 39
MOD: 0740	Wall Flange	Page 39
MOD: 0860	End Cap	Page 39
MOD: 1010	Side Fix Bracket	Page 40
MOD: 1101	Base Cover	Page 40
MOD: 1510	Baluster Post	Page 40
MOD: 1900	Tubes & Bars	Page 40
MOD: 1910	Tubes & Bars	Page 40
MOD: 32	Glass Clamp - Model 32	Page 42

Glass Clamps

MOD: 30	Glass Clamp - Model 30	Page 42
MOD: 31	Glass Clamp - Model 31	Page 43
MOD: 32	Glass Clamp - Model 32	Page 44, 45
MOD: 32.100	Glass Clamp - Model 32	Page 45
MOD: 32.200	Glass Clamp - Model 32	Page 45
MOD: 33	Glass Clamp - Model 33	Page 46
MOD: 34	Glass Clamp - Model 34	Page 47
MOD: 35	Glass Clamp - Model 35	Page 48
MOD: 38	Glass Clamp - Model 38	Page 49
Glass Clamp Rubbers	Glass Clamp Rubbers	Page 50
Glass Clamp Pins	Glass Clamp Security Pins	Page 50

Glass Connectors & Panel Holders

MOD: 4010	Glass Connector	Page 52
MOD: 4020	Glass Connector	Page 52
MOD: 4030	Glass Connector	Page 53
MOD: 4500	Panel Holder	Page 54
MOD: 4510	Panel Holder	Page 54

Wire-tec

MOD: 6000	Tensioner	Page 56
MOD: 6010	Terminal	Page 56
MOD: 6020	Eye Bolt	Page 56
MOD: 6030	Cable Stopper	Page 56
MOD: 6100	Tensioner	Page 58
MOD: 6110	Crossbar Holder	Page 58
MOD: 6120	Crossbar Holder	Page 58
MOD: 6130	Crossbar Holder	Page 58
MOD: 6203	Wire 3.2mm	Page 56, 58
MOD: 6206	Wire 6.0mm	Page 56, 58
MOD: 6350	Cable Cutter	Page 56

Timber-tec

MOD: 6400	Alignment Tool	Page 61
MOD: 8000	Handrail	Page 60
MOD: 8010	Elbow	Page 60
MOD: 8020	Elbow - Adjustable	Page 60
MOD: 8030	Return End	Page 61
MOD: 8040	End Cap	Page 61
MOD: 8050	Connector	Page 61
MOD: 8060	Adaptor	Page 61

Glass-tec

MOD: 1010	Top Fix Base - Channel	Page 64
MOD: 1020	Top Fix Base - Internal Corner	Page 64
MOD: 1030	Top Fix Base - External Corner	Page 64
MOD: 1040	Top Fix Base - End Cap	Page 64
MOD: 1110	Side Fix Base - Channel	Page 66
MOD: 1120	Side Fix Base - Internal Corner	Page 66
MOD: 1130	Side Fix Base - External Corner	Page 66
MOD: 1140	Side Fix Base - End Cap - Left	Page 66
MOD: 1146	Side Fix Base - End Cap - Right	Page 66
MOD: 1150	Side Fix Base - Cladding	Page 67
MOD: 1160	Side Fix Base - Plastic Plug	Page 67
MOD: 2010	Side Fix Base - Channel	Page 70

Glass-tec (continued)

MOD: 2020	Side Fix Base - Security Flat	Page 70
MOD: 2030	Side Fix Base - Cover Plate	Page 70
MOD: 2040	Side Fix Base - Screed Fixing Bracket	Page 70
MOD: 2050	Side Fix Base - External Corner	Page 71
MOD: 2060	Side Fix Base - Internal Corner	Page 71
MOD: 2070	Side Fix Base - End Cap - Left	Page 71
MOD: 2080	Side Fix Base - End Cap - Right	Page 71
MOD: 5500	Base - Gasket Set	Page 64, 70
MOD: 5600	Base - Gasket Set	Page 66
MOD: 7000	Profiled Handrail	Page 74
MOD: 7000 Mirror	Profiled Handrail	Page 77
MOD: 7000.604	Profiled Handrail	Page 76
MOD: 7010	Elbow - Vertical	Page 75
MOD: 7010 Mirror	Elbow - Vertical	Page 78
MOD: 7020	Elbow - Horizontal	Page 75
MOD: 7020 Mirror	Elbow - Horizontal	Page 78
MOD: 7020.604	Elbow - Horizontal	Page 76
MOD: 7030	Elbow - Adjustable	Page 75
MOD: 7030 Mirror	Elbow - Adjustable	Page 78
MOD: 7040	Elbow - Adjustable	Page 75
MOD: 7040 Mirror	Elbow - Adjustable	Page 78
MOD: 7042	Handrail - Rubber Set	Page 74, 76, 77
MOD: 7048	Handrail - Rubber Set	Page 74, 76, 77
MOD: 7060	Handrail - Rubber Set	Page 74
MOD: 7050	Connector	Page 75
MOD: 7050 Mirror	Connector	Page 78
MOD: 7050.604	Connector	Page 76
MOD: 7060	Wall Flange	Page 75
MOD: 7060 Mirror	Wall Flange	Page 78
MOD: 7060.604	Wall Flange	Page 76
MOD: 7070	End Cap	Page 74
MOD: 7070 Mirror	End Cap	Page 77
MOD: 7070.604	End Cap	Page 76
MOD: 7100	Profiled Handrail	Page 74
MOD: 7100.604	Profiled Handrail	Page 76
MOD: 7142	Handrail - Rubber Set	Page 74, 76, 77
MOD: 7148	Handrail - Rubber Set	Page 74, 76, 77
MOD: 7160	Handrail - Rubber Set	Page 70
MOD: 9210	Mounting Kit	Page 64, 67, 70

Accessories

MOD: 9010	Glue	Page 80
MOD: 9020	Internal Cleaner	Page 80
MOD: 9025	Glass Cleaner	Page 80
MOD: 9030	External Cleaner	Page 80
MOD: 9027	Cleaner Kit	Page 80
MOD: 9100	Bolt	Page 81
MOD: 9101	Bolt	Page 81
MOD: 9110	Bolt	Page 81
MOD: 9120	Bolt	Page 81
MOD: 9160	Dual Head Screw	Page 82
MOD: 9165	Coach Screw	Page 82
MOD: 9170	Screw	Page 82
MOD: 9200	'C' Spanner	Page 80
MOD: 9300	Allen Key Set	Page 80

information



Delivery

Fastec dispatch all orders via carrier on a next day service.

Orders must be received before 2.45pm to be dispatched same day.

Upgraded timed delivery services are available (ie. before noon, before 10.30am, Saturday am) at an additional cost.

Off-shore and some Scottish Highlands locations are only available on a 2-3 day service.



Price /Payment

All prices quoted are net, VAT will be added.

Delivery charges are in addition to the fitting prices and will be stated at time of quoting/ordering.

Accounts not settled within the agreed time period will be placed on stop and no further goods will be dispatched until the overdue monies are settled.



Returns

Goods will only be accepted if they are received in a resaleable condition and in their original packaging.

Notification of a return must be made in writing in the first instance and must be received within 1 month after receipt.

A handling fee will be charged, the amount will be confirmed after a notification has been received.

Collection of the items for return can be arranged by Fastec via our carrier but will incur an additional charge. Please state if you require a collection arranging at time of notification. A cost will then be confirmed.



Claims

Notice of any claim relating to shortages or damaged goods shall be made to the company in writing within 48 hours of receipt of goods. In the event of loss or non-delivery of the goods the customer shall notify the company in writing within 3 days of receiving the advice note.

All goods received damaged on delivery must be signed for as 'Damaged', claims for goods received as damaged but signed for as 'Received in good condition' will not be accepted.

Quantities must be checked on delivery before signing as accepted.

Terms & Conditions

We reserve the right to change any products within this brochure relating to the design and measurements without prior warning.

Products may be updated or revised and actual products may be slightly different to the items illustrated.

Different shapes and product types may have slightly different polishing matches due to the techniques and processes used.

We cannot be held responsible for printing errors.

The company shall not be responsible for any expenditure losses. Any compensation is limited to the value of the goods.

► **Our full terms & conditions are available on request.**

